

ANALYTICAL REPORT

PREPARED FOR

Attn: Tam Pham
BlueTriton Brands
900 Long Ridge Rd
Stamford, Connecticut 06902

Generated 3/12/2026 2:55:01 PM

JOB DESCRIPTION

Bergman B2 Spring (Tanker)

JOB NUMBER

380-197588-1

Eurofins Pomona

Job Notes

This report may not be reproduced except in full, and with written approval from the laboratory. The results relate only to the samples tested. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

The test results in this report relate only to the samples as received by the laboratory and meet all requirements of the methodology, with any exceptions noted. This report shall not be reproduced except in full, without the express written approval of the laboratory. All questions should be directed to the Eurofins Drinking Water and Wastewater West, LLC Project Manager.

Compliance Statement

The report format being provided is not compliant with TNI (The NELAC Institute) Standards, and is a client-specific format

Authorization



Generated
3/12/2026 2:55:01 PM

Authorized for release by
Vanessa Berry, Project Manager
Vanessa.Berry@et.eurofinsus.com
(626)386-1100

Case Narrative

Client: BlueTriton Brands
Project: Bergman B2 Spring (Tanker)

Job ID: 380-197588-1

Job ID: 380-197588-1

Eurofins Pomona

Job Narrative 380-197588-1

The analytical test results presented in this report meet all requirements of the associated regulatory program listed on the Accreditation/Certification Summary Page, unless otherwise noted. Data qualifiers and/or narrative comments are included to explain any exceptions, if applicable. Regulated compliance samples (e.g. SDWA, NPDES) must comply with associated agency requirements/permits.

- Matrix-specific batch QC (e.g., MS, MSD, SD) may not be reported when insufficient sample volume is available or when site-specific QC samples are not submitted. In such cases, a Laboratory Control Sample Duplicate (LCSD) may be analyzed to provide precision data for the batch.
- For samples analyzed using surrogate and/or isotope dilution analytes, any recoveries falling outside of established acceptance criteria are re-prepared and/or re-analyzed to confirm results, unless the deviation is due to sample dilution or otherwise explained in the case narrative.

Receipt

The sample was received on 2/11/2026 4:34 PM. Unless otherwise noted below, the sample arrived in good condition, and, where required, properly preserved and on ice. The temperature of the cooler at receipt time was 12.0°C.

Subcontract Work

Method 100.2 Asbestos in DW: This method was subcontracted to Eurofins CEI Inc. The subcontract laboratory certification is different from that of the facility issuing the final report. The subcontract report is appended in its entirety.

GC/MS VOA

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

GC/MS Semi VOA

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

GC Semi VOA

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Herbicides

Method 515.4: The method reporting limit check (MRL) for preparation batch 380-206673 and analytical batch 380-207183 recovered outside control limits for the following analytes: DCPA Mon/Di-Acid Degradates. These analytes were biased high in the MRL and were not detected in the associated samples; therefore, the data have been reported.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Pesticides/PCBs

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

HPLC/IC

Method 300.1: The matrix spike / matrix spike duplicate (MS/MSD) recoveries for analytical batch 380-205653 were outside control limits for one or more analytes. See QC Sample Results for detail. Sample matrix interference and/or non-homogeneity are suspected because the associated laboratory control sample (LCS) recovery is within acceptance limits.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Pesticides

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

LCMS

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

PFAS

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Dioxin

Eurofins Pomona

Case Narrative

Client: BlueTriton Brands
Project: Bergman B2 Spring (Tanker)

Job ID: 380-197588-1

Job ID: 380-197588-1 (Continued)

Eurofins Pomona

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Metals

Method 200.8: The continuing calibration blank (CCB) for analytical batch 380-206050 contained Chromium above the reporting limit (RL). All reported samples associated with this CCB were ND for this analyte; therefore, re-analysis of samples was not performed.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

General Chemistry

Method SM 5540C: Methylene Blue Active Substances (MBAS) concentrations are calculated as Linear Alkylbenzene Sulphonate (LAS), using a molecular weight of 348.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Rad

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Eurofins Pomona

Sample Summary

Client: BlueTriton Brands
Project/Site: Bergman B2 Spring (Tanker)

Job ID: 380-197588-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received	Sample Origin
380-197588-1	Bergman B2 Spring (Tanker)	Drinking Water	02/11/26 12:00	02/11/26 16:34	California

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8

Client Sample Results

Client: BlueTriton Brands
Project/Site: Bergman B2 Spring (Tanker)

Job ID: 380-197588-1

Client Sample ID: Bergman B2 Spring (Tanker)

Lab Sample ID: 380-197588-1

Date Collected: 02/11/26 12:00

Matrix: Drinking Water

Date Received: 02/11/26 16:34

Method: 524.2 - Total Trihalomethanes

Analyte	Result	Qualifier	RL	Unit	D	Analyzed	Dil Fac	Analyst
Trihalomethanes, Total	ND		0.00050	mg/L		02/24/26 19:41	1	BS7X

Method: 524.2 - Volatile Organic Compounds (GC/MS SIM)

Analyte	Result	Qualifier	RL	Unit	D	Analyzed	Dil Fac	Analyst
Epichlorohydrin	ND		0.00010	mg/L		02/12/26 19:50	1	HM3T

Surrogate	%Recovery	Qualifier	Limits	Analyzed	Dil Fac	Analyst
Toluene-d8 (Surr)	100		70 - 130	02/12/26 19:50	1	HM3T
4-Bromofluorobenzene (Surr)	98		70 - 130	02/12/26 19:50	1	HM3T
1,2-Dichloroethane-d4 (Surr)	102		70 - 130	02/12/26 19:50	1	HM3T

Method: 524.2 - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	Unit	D	Analyzed	Dil Fac	Analyst
1,1,1,2-Tetrachloroethane	ND		0.00050	mg/L		02/24/26 19:41	1	N4CJ
1,1,1-Trichloroethane	ND		0.00050	mg/L		02/24/26 19:41	1	N4CJ
1,1,2,2-Tetrachloroethane	ND	^3+	0.00050	mg/L		02/24/26 19:41	1	N4CJ
1,1,2-Trichloroethane	ND		0.00050	mg/L		02/24/26 19:41	1	N4CJ
1,1-Dichloroethane	ND		0.00050	mg/L		02/24/26 19:41	1	N4CJ
1,1-Dichloroethylene	ND		0.00050	mg/L		02/24/26 19:41	1	N4CJ
1,1-Dichloropropene	ND		0.00050	mg/L		02/24/26 19:41	1	N4CJ
1,2,3-Trichlorobenzene	ND	^3+	0.00050	mg/L		02/24/26 19:41	1	N4CJ
1,2,4-Trichlorobenzene	ND		0.00050	mg/L		02/24/26 19:41	1	N4CJ
1,2,4-Trimethylbenzene	ND		0.00050	mg/L		02/24/26 19:41	1	N4CJ
1,2-Dichloroethane	ND		0.00050	mg/L		02/24/26 19:41	1	N4CJ
1,2-Dichloropropane	ND		0.00050	mg/L		02/24/26 19:41	1	N4CJ
1,3,5-Trimethylbenzene	ND		0.00050	mg/L		02/24/26 19:41	1	N4CJ
1,3-Dichloropropane	ND		0.00050	mg/L		02/24/26 19:41	1	N4CJ
2,2-Dichloropropane	ND		0.00050	mg/L		02/24/26 19:41	1	N4CJ
2-Butanone (MEK)	ND	^3+	0.0050	mg/L		02/24/26 19:41	1	N4CJ
4-Methyl-2-pentanone (MIBK)	ND	^3+	0.0050	mg/L		02/24/26 19:41	1	N4CJ
Benzene	ND		0.00050	mg/L		02/24/26 19:41	1	N4CJ
Bromobenzene	ND		0.00050	mg/L		02/24/26 19:41	1	N4CJ
Bromochloromethane	ND		0.00050	mg/L		02/24/26 19:41	1	N4CJ
Bromodichloromethane	ND		0.00050	mg/L		02/24/26 19:41	1	N4CJ
Bromoform	ND		0.00050	mg/L		02/24/26 19:41	1	N4CJ
Bromomethane (Methyl Bromide)	ND		0.00050	mg/L		02/24/26 19:41	1	N4CJ
Carbon disulfide	ND		0.00050	mg/L		02/24/26 19:41	1	N4CJ
Carbon tetrachloride	ND		0.00050	mg/L		02/24/26 19:41	1	N4CJ
Chlorobenzene	ND		0.00050	mg/L		02/24/26 19:41	1	N4CJ
Chlorodibromomethane	ND		0.00050	mg/L		02/24/26 19:41	1	N4CJ
Chloroethane	ND		0.00050	mg/L		02/24/26 19:41	1	N4CJ
Chloroform (Trichloromethane)	ND		0.00050	mg/L		02/24/26 19:41	1	N4CJ
Methylene Chloride	ND		0.00050	mg/L		02/24/26 19:41	1	N4CJ
cis-1,2-Dichloroethylene	ND		0.00050	mg/L		02/24/26 19:41	1	N4CJ
cis-1,3-Dichloropropene	ND		0.00050	mg/L		02/24/26 19:41	1	N4CJ
Dibromomethane	ND		0.00050	mg/L		02/24/26 19:41	1	N4CJ
Dichlorodifluoromethane	ND		0.00050	mg/L		02/24/26 19:41	1	N4CJ
Ethylbenzene	ND		0.00050	mg/L		02/24/26 19:41	1	N4CJ
Hexachlorobutadiene	ND		0.00050	mg/L		02/24/26 19:41	1	N4CJ
Isopropylbenzene	ND		0.00050	mg/L		02/24/26 19:41	1	N4CJ

Eurofins Pomona

Client Sample Results

Client: BlueTriton Brands
Project/Site: Bergman B2 Spring (Tanker)

Job ID: 380-197588-1

Client Sample ID: Bergman B2 Spring (Tanker)

Lab Sample ID: 380-197588-1

Date Collected: 02/11/26 12:00

Matrix: Drinking Water

Date Received: 02/11/26 16:34

Method: 524.2 - Volatile Organic Compounds (GC/MS) (Continued)

Analyte	Result	Qualifier	RL	Unit	D	Analyzed	Dil Fac	Analyst
m,p-Xylenes	ND		0.00050	mg/L		02/24/26 19:41	1	N4CJ
m-Dichlorobenzene (1,3-DCB)	ND		0.00050	mg/L		02/24/26 19:41	1	N4CJ
Methyl-tert-butyl Ether (MTBE)	ND		0.00050	mg/L		02/24/26 19:41	1	N4CJ
Naphthalene	ND	^3+	0.00050	mg/L		02/24/26 19:41	1	N4CJ
n-Butylbenzene	ND		0.00050	mg/L		02/24/26 19:41	1	N4CJ
N-Propylbenzene	ND		0.00050	mg/L		02/24/26 19:41	1	N4CJ
o-Dichlorobenzene (1,2-DCB)	ND		0.00050	mg/L		02/24/26 19:41	1	N4CJ
o-Chlorotoluene	ND		0.00050	mg/L		02/24/26 19:41	1	N4CJ
o-Xylene	ND		0.00050	mg/L		02/24/26 19:41	1	N4CJ
p-Chlorotoluene	ND		0.00050	mg/L		02/24/26 19:41	1	N4CJ
p-Dichlorobenzene (1,4-DCB)	ND		0.00050	mg/L		02/24/26 19:41	1	N4CJ
p-Isopropyltoluene	ND		0.00050	mg/L		02/24/26 19:41	1	N4CJ
sec-Butylbenzene	ND		0.00050	mg/L		02/24/26 19:41	1	N4CJ
Styrene	ND		0.00050	mg/L		02/24/26 19:41	1	N4CJ
Tert-amyl methyl ether	ND		0.0030	mg/L		02/24/26 19:41	1	N4CJ
Tert-butyl ethyl ether	ND		0.0030	mg/L		02/24/26 19:41	1	N4CJ
tert-Butylbenzene	ND		0.00050	mg/L		02/24/26 19:41	1	N4CJ
Tetrachloroethene (PCE)	ND		0.00050	mg/L		02/24/26 19:41	1	N4CJ
Toluene	ND		0.00050	mg/L		02/24/26 19:41	1	N4CJ
Xylenes, Total	ND		0.00050	mg/L		02/24/26 19:41	1	N4CJ
trans-1,2-Dichloroethylene	ND		0.00050	mg/L		02/24/26 19:41	1	N4CJ
trans-1,3-Dichloropropene	ND		0.00050	mg/L		02/24/26 19:41	1	N4CJ
Trichloroethylene (TCE)	ND		0.00050	mg/L		02/24/26 19:41	1	N4CJ
Trichlorofluoromethane (Freon 11)	ND		0.00050	mg/L		02/24/26 19:41	1	N4CJ
Vinyl Chloride (VC)	ND		0.00030	mg/L		02/24/26 19:41	1	N4CJ
Trichlorotrifluoroethane	ND		0.00050	mg/L		02/24/26 19:41	1	N4CJ
Chloromethane (methyl chloride)	ND		0.00050	mg/L		02/24/26 19:41	1	N4CJ
di-Isopropyl ether	ND		0.0030	mg/L		02/24/26 19:41	1	N4CJ

Surrogate	%Recovery	Qualifier	Limits	Analyzed	Dil Fac	Analyst
1,2-Dichloroethane-d4 (Surr)	95		70 - 130	02/24/26 19:41	1	N4CJ
4-Bromofluorobenzene (Surr)	101		70 - 130	02/24/26 19:41	1	N4CJ
Toluene-d8 (Surr)	99		70 - 130	02/24/26 19:41	1	N4CJ

Method: SRL 524M - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	Unit	D	Analyzed	Dil Fac	Analyst
1,2,3-Trichloropropane	ND		0.0000050	mg/L		02/13/26 01:41	1	Q6AD

Surrogate	%Recovery	Qualifier	Limits	Analyzed	Dil Fac	Analyst
Toluene-d8 (Surr)	107		70 - 130	02/13/26 01:41	1	Q6AD

Method: 521.1 - Nitrosoamines (GC/MS/MS)

Analyte	Result	Qualifier	RL	Unit	D	Analyzed	Dil Fac	Analyst
N-Nitrosodimethylamine (NDMA)	ND		0.0000021	mg/L		02/18/26 18:01	1	GH6R

Surrogate	%Recovery	Qualifier	Limits	Analyzed	Dil Fac	Analyst
N-Nitrosodimethylamine-d6 (Surr)	87		70 - 130	02/18/26 18:01	1	GH6R

Method: 522 - 1,4 Dioxane (GC/MS SIM)

Analyte	Result	Qualifier	RL	Unit	D	Analyzed	Dil Fac	Analyst
1,4-Dioxane	ND		0.000070	mg/L		02/17/26 16:01	1	X8AA

Eurofins Pomona

Client Sample Results

Client: BlueTriton Brands
Project/Site: Bergman B2 Spring (Tanker)

Job ID: 380-197588-1

Client Sample ID: Bergman B2 Spring (Tanker)

Lab Sample ID: 380-197588-1

Date Collected: 02/11/26 12:00

Matrix: Drinking Water

Date Received: 02/11/26 16:34

Surrogate	%Recovery	Qualifier	Limits	Analyzed	Dil Fac	Analyst
1,4-Dioxane-d8 (Surr)	96		70 - 130	02/17/26 16:01	1	X8AA

Method: 525.2 - Semivolatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	Unit	D	Analyzed	Dil Fac	Analyst
2,4-Dinitrotoluene	ND		0.000099	mg/L		02/19/26 20:45	1	UPAC
Diazinon (Qualitative)	ND		0.000097	mg/L		02/16/26 16:24	1	Q8LA
2,6-Dinitrotoluene	ND		0.000099	mg/L		02/19/26 20:45	1	UPAC
Prometon	ND		0.000097	mg/L		02/16/26 16:24	1	Q8LA
4,4'-DDD	ND		0.000099	mg/L		02/19/26 20:45	1	UPAC
Mevinphos	ND		0.000099	mg/L		02/19/26 20:45	1	UPAC
4,4'-DDE	ND		0.000099	mg/L		02/19/26 20:45	1	UPAC
Ethoprop	ND		0.000099	mg/L		02/19/26 20:45	1	UPAC
4,4'-DDT	ND		0.000099	mg/L		02/19/26 20:45	1	UPAC
Ametryn	ND		0.000099	mg/L		02/19/26 20:45	1	UPAC
Acenaphthene	ND		0.000099	mg/L		02/19/26 20:45	1	UPAC
Prometryne	ND		0.000099	mg/L		02/19/26 20:45	1	UPAC
Acenaphthylene	ND		0.000099	mg/L		02/19/26 20:45	1	UPAC
Napropamide	ND		0.000099	mg/L		02/19/26 20:45	1	UPAC
Acetochlor	ND		0.000099	mg/L		02/19/26 20:45	1	UPAC
Norflurazon	ND	^3+	0.000099	mg/L		02/19/26 20:45	1	UPAC
Alachlor (Alanex)	ND		0.000049	mg/L		02/19/26 20:45	1	UPAC
Fenarimol	ND		0.000099	mg/L		02/19/26 20:45	1	UPAC
Aldrin	ND		0.0000099	mg/L		02/19/26 20:45	1	UPAC
Azinphos-methyl	ND	^3+ *+	0.000099	mg/L		02/19/26 20:45	1	UPAC
alpha-BHC	ND		0.000099	mg/L		02/19/26 20:45	1	UPAC
Fluridone	ND		0.000099	mg/L		02/19/26 20:45	1	UPAC
Anthracene	ND		0.000020	mg/L		02/19/26 20:45	1	UPAC
Atrazine	ND		0.000049	mg/L		02/19/26 20:45	1	UPAC
Thiobencarb	ND		0.000099	mg/L		02/19/26 20:45	1	UPAC
Benz[a]anthracene	ND		0.000049	mg/L		02/19/26 20:45	1	UPAC
Benzo[a]pyrene	ND		0.000020	mg/L		02/19/26 20:45	1	UPAC
Benzo[b]fluoranthene	ND		0.000020	mg/L		02/19/26 20:45	1	UPAC
Benzo[g,h,i]perylene	ND		0.000049	mg/L		02/19/26 20:45	1	UPAC
Benzo[k]fluoranthene	ND		0.000020	mg/L		02/19/26 20:45	1	UPAC
beta-BHC	ND		0.000099	mg/L		02/19/26 20:45	1	UPAC
Di (2-ethylhexyl)phthalate	ND		0.00059	mg/L		02/19/26 20:45	1	UPAC
Bromacil	ND		0.000099	mg/L		02/19/26 20:45	1	UPAC
Butachlor	ND		0.000049	mg/L		02/19/26 20:45	1	UPAC
Butylbenzylphthalate	ND		0.00049	mg/L		02/19/26 20:45	1	UPAC
Chlorobenzilate	ND		0.000099	mg/L		02/19/26 20:45	1	UPAC
Chloroneb	ND		0.000099	mg/L		02/19/26 20:45	1	UPAC
Chlorothalonil (Draconil, Bravo)	ND		0.000099	mg/L		02/19/26 20:45	1	UPAC
Chlorpyrifos	ND		0.000049	mg/L		02/19/26 20:45	1	UPAC
Chrysene	ND		0.000020	mg/L		02/19/26 20:45	1	UPAC
alpha-Chlordane	ND		0.000049	mg/L		02/19/26 20:45	1	UPAC
delta-BHC	ND		0.000099	mg/L		02/19/26 20:45	1	UPAC
Di(2-ethylhexyl)adipate	ND		0.00059	mg/L		02/19/26 20:45	1	UPAC
Dibenz(a,h)anthracene	ND		0.000049	mg/L		02/19/26 20:45	1	UPAC
Dichlorvos	ND		0.000049	mg/L		02/19/26 20:45	1	UPAC
Dieldrin	ND		0.0000099	mg/L		02/19/26 20:45	1	UPAC

Eurofins Pomona

Client Sample Results

Client: BlueTriton Brands
Project/Site: Bergman B2 Spring (Tanker)

Job ID: 380-197588-1

Client Sample ID: Bergman B2 Spring (Tanker)

Lab Sample ID: 380-197588-1

Date Collected: 02/11/26 12:00

Matrix: Drinking Water

Date Received: 02/11/26 16:34

Method: 525.2 - Semivolatile Organic Compounds (GC/MS) (Continued)

Analyte	Result	Qualifier	RL	Unit	D	Analyzed	Dil Fac	Analyst
Diethylphthalate	ND		0.00049	mg/L		02/19/26 20:45	1	UPAC
Dimethoate	ND		0.000099	mg/L		02/19/26 20:45	1	UPAC
Dimethylphthalate	ND		0.00049	mg/L		02/19/26 20:45	1	UPAC
Di-n-butylphthalate	ND		0.00099	mg/L		02/19/26 20:45	1	UPAC
Di-n-octylphthalate	ND		0.000099	mg/L		02/19/26 20:45	1	UPAC
Endosulfan I (Alpha)	ND		0.000099	mg/L		02/19/26 20:45	1	UPAC
Endosulfan II (Beta)	ND		0.000099	mg/L		02/19/26 20:45	1	UPAC
Endosulfan sulfate	ND		0.000099	mg/L		02/19/26 20:45	1	UPAC
Endrin	ND		0.0000099	mg/L		02/19/26 20:45	1	UPAC
Endrin aldehyde	ND		0.000099	mg/L		02/19/26 20:45	1	UPAC
EPTC	ND		0.000099	mg/L		02/19/26 20:45	1	UPAC
Parathion	ND		0.000099	mg/L		02/19/26 20:45	1	UPAC
Fluoranthene	ND		0.000099	mg/L		02/19/26 20:45	1	UPAC
Fluorene	ND		0.000049	mg/L		02/19/26 20:45	1	UPAC
Lindane (gamma-BHC)	ND		0.0000099	mg/L		02/19/26 20:45	1	UPAC
Heptachlor	ND		0.0000099	mg/L		02/19/26 20:45	1	UPAC
Heptachlor epoxide (isomer B)	ND		0.0000099	mg/L		02/19/26 20:45	1	UPAC
Hexachlorobenzene	ND		0.000049	mg/L		02/19/26 20:45	1	UPAC
Hexachlorocyclopentadiene	ND		0.000049	mg/L		02/19/26 20:45	1	UPAC
Hexazinone	ND		0.000099	mg/L		02/19/26 20:45	1	UPAC
Indeno[1,2,3-cd]pyrene	ND		0.000049	mg/L		02/19/26 20:45	1	UPAC
Isophorone	ND		0.000099	mg/L		02/19/26 20:45	1	UPAC
Malathion	ND		0.000099	mg/L		02/19/26 20:45	1	UPAC
Methoxychlor	ND		0.000049	mg/L		02/19/26 20:45	1	UPAC
Metolachlor	ND		0.000049	mg/L		02/19/26 20:45	1	UPAC
Metribuzin	ND		0.000049	mg/L		02/19/26 20:45	1	UPAC
Molinate	ND		0.000099	mg/L		02/19/26 20:45	1	UPAC
Pendimethalin	ND		0.000099	mg/L		02/19/26 20:45	1	UPAC
Total Permethrin (mixed isomers)	ND		0.00020	mg/L		02/19/26 20:45	1	UPAC
Phenanthrene	ND		0.000039	mg/L		02/19/26 20:45	1	UPAC
Propachlor	ND		0.000049	mg/L		02/19/26 20:45	1	UPAC
Pyrene	ND		0.000049	mg/L		02/19/26 20:45	1	UPAC
Simazine	ND		0.000049	mg/L		02/19/26 20:45	1	UPAC
Terbacil	ND		0.000099	mg/L		02/19/26 20:45	1	UPAC
Terbutylazine	ND		0.000099	mg/L		02/19/26 20:45	1	UPAC
gamma-Chlordane	ND		0.000049	mg/L		02/19/26 20:45	1	UPAC
trans-Nonachlor	ND		0.000049	mg/L		02/19/26 20:45	1	UPAC
Trifluralin	ND		0.000099	mg/L		02/19/26 20:45	1	UPAC

Surrogate	%Recovery	Qualifier	Limits	Analyzed	Dil Fac	Analyst
2-Nitro-m-xylene	96		70 - 130	02/19/26 20:45	1	UPAC
Triphenylphosphate	99		70 - 130	02/19/26 20:45	1	UPAC
2-Nitro-m-xylene	93		70 - 130	02/16/26 16:24	1	Q8LA
2-Nitro-m-xylene	94		70 - 130	02/19/26 20:45	1	UPAC
Perylene-d12	95		70 - 130	02/19/26 20:45	1	UPAC
Perylene-d12	94		70 - 130	02/19/26 20:45	1	UPAC
Triphenylphosphate	97		70 - 130	02/19/26 20:45	1	UPAC

Eurofins Pomona

Client Sample Results

Client: BlueTriton Brands
Project/Site: Bergman B2 Spring (Tanker)

Job ID: 380-197588-1

Client Sample ID: Bergman B2 Spring (Tanker)

Lab Sample ID: 380-197588-1

Date Collected: 02/11/26 12:00

Matrix: Drinking Water

Date Received: 02/11/26 16:34

Method: 548.1 - Endothall (GC/MS)

Analyte	Result	Qualifier	RL	Unit	D	Analyzed	Dil Fac	Analyst
Endothall	ND		0.0050	mg/L		02/17/26 13:20	1	X8AA

Method: 504.1 - EDB, DBCP and 1,2,3-TCP (GC)

Analyte	Result	Qualifier	RL	Unit	D	Analyzed	Dil Fac	Analyst
1,2,3-Trichloropropane	ND		0.000020	mg/L		02/19/26 07:41	1	GVC6
Ethylene Dibromide (EDB)	ND		0.000010	mg/L		02/19/26 07:41	1	GVC6
Dibromochloropropane (DBCP)	ND		0.000010	mg/L		02/19/26 07:41	1	GVC6

Surrogate	%Recovery	Qualifier	Limits	Analyzed	Dil Fac	Analyst
1,2-Dibromopropane (Surr)	99		60 - 140	02/19/26 07:41	1	GVC6

Method: 505 - Organochlorine Pesticides/PCBs (GC)

Analyte	Result	Qualifier	RL	Unit	D	Analyzed	Dil Fac	Analyst
Chlordane	ND		0.00010	mg/L		02/13/26 07:13	1	DR5R
PCB-1016	ND		0.000070	mg/L		02/13/26 07:13	1	DR5R
PCB-1221	ND		0.00010	mg/L		02/13/26 07:13	1	DR5R
PCB-1232	ND		0.00010	mg/L		02/13/26 07:13	1	DR5R
PCB-1242	ND		0.00010	mg/L		02/13/26 07:13	1	DR5R
PCB-1248	ND		0.00010	mg/L		02/13/26 07:13	1	DR5R
PCB-1254	ND		0.00010	mg/L		02/13/26 07:13	1	DR5R
PCB-1260	ND		0.000070	mg/L		02/13/26 07:13	1	DR5R
Toxaphene	ND		0.00050	mg/L		02/13/26 07:13	1	DR5R
Total PCBs	ND		0.00010	mg/L		02/13/26 07:13	1	DR5R

Surrogate	%Recovery	Qualifier	Limits	Analyzed	Dil Fac	Analyst
Tetrachloro-m-xylene	90		70 - 130	02/13/26 07:13	1	DR5R

Method: 515.4 - Herbicides (GC)

Analyte	Result	Qualifier	RL	Unit	D	Analyzed	Dil Fac	Analyst
2,4,5-T	ND		0.00020	mg/L		02/19/26 01:32	1	YNB8
2,4,5-TP (Silvex)	ND		0.00010	mg/L		02/19/26 01:32	1	YNB8
2,4-D	ND		0.00010	mg/L		02/19/26 01:32	1	YNB8
2,4-DB	ND		0.0020	mg/L		02/19/26 01:32	1	YNB8
3,5-Dichlorobenzoic acid	ND		0.00050	mg/L		02/19/26 01:32	1	YNB8
Acifluorfen	ND		0.00020	mg/L		02/19/26 01:32	1	YNB8
Bentazon	ND		0.00050	mg/L		02/19/26 01:32	1	YNB8
Dalapon	ND		0.0010	mg/L		02/19/26 01:32	1	YNB8
Dicamba	ND		0.00010	mg/L		02/19/26 01:32	1	YNB8
Dichlorprop	ND		0.00050	mg/L		02/19/26 01:32	1	YNB8
Dinoseb	ND		0.00020	mg/L		02/19/26 01:32	1	YNB8
Pentachlorophenol	ND		0.000040	mg/L		02/19/26 01:32	1	YNB8
Picloram	ND		0.00010	mg/L		02/19/26 01:32	1	YNB8
DCPA Mon/Di-Acid Degradates	ND	^3+	0.00010	mg/L		02/19/26 01:32	1	YNB8

Surrogate	%Recovery	Qualifier	Limits	Analyzed	Dil Fac	Analyst
2,4-Dichlorophenylacetic acid (Surr)	96		70 - 130	02/19/26 01:32	1	YNB8

Method: 6251B - Haloacetic Acids (HAAs) (GC)

Analyte	Result	Qualifier	RL	Unit	D	Analyzed	Dil Fac	Analyst
Monobromoacetic acid	ND		0.0010	mg/L		02/23/26 23:22	1	QBD3
Monochloroacetic acid	ND		0.0020	mg/L		02/23/26 23:22	1	QBD3

Eurofins Pomona

Client Sample Results

Client: BlueTriton Brands
Project/Site: Bergman B2 Spring (Tanker)

Job ID: 380-197588-1

Client Sample ID: Bergman B2 Spring (Tanker)

Lab Sample ID: 380-197588-1

Date Collected: 02/11/26 12:00

Matrix: Drinking Water

Date Received: 02/11/26 16:34

Method: 6251B - Haloacetic Acids (HAAs) (GC) (Continued)

Analyte	Result	Qualifier	RL	Unit	D	Analyzed	Dil Fac	Analyst
Dibromoacetic acid	ND		0.0010	mg/L		02/23/26 23:22	1	QBD3
Dichloroacetic acid	ND		0.0010	mg/L		02/23/26 23:22	1	QBD3
Trichloroacetic acid	ND		0.0010	mg/L		02/23/26 23:22	1	QBD3
Bromochloroacetic acid	ND		0.0010	mg/L		02/23/26 23:22	1	QBD3

Surrogate	%Recovery	Qualifier	Limits	Analyzed	Dil Fac	Analyst
2,3-Dibromopropionic acid	114		70 - 130	02/23/26 23:22	1	QBD3

Method: 6251B - Total Haloacetic Acids (GC)

Analyte	Result	Qualifier	RL	Unit	D	Analyzed	Dil Fac	Analyst
Total Haloacetic Acids 5	ND		0.0020	mg/L		02/23/26 23:22	1	H6ZZ

Method: 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	Unit	D	Analyzed	Dil Fac	Analyst
Chloride	6.7		0.50	mg/L		02/12/26 01:24	1	DXD4
Chlorite	ND		0.010	mg/L		02/18/26 08:16	1	UNJR
Nitrate as N	0.72		0.050	mg/L		02/12/26 01:24	1	DXD4
Chlorate	ND		0.010	mg/L		02/18/26 08:16	1	UNJR
Nitrite as N	ND		0.050	mg/L		02/12/26 01:24	1	DXD4
Sulfate	6.3		0.25	mg/L		02/12/26 01:24	1	DXD4

Method: 300.1 - Disinfection By-Products, (IC)

Analyte	Result	Qualifier	RL	Unit	D	Analyzed	Dil Fac	Analyst
Bromide	0.024	F1	0.0020	mg/L		02/17/26 01:50	1	XLG4

Surrogate	%Recovery	Qualifier	Limits	Analyzed	Dil Fac	Analyst
Potassium Dichloroacetate (Surr)	102		90 - 115	02/17/26 01:50	1	XLG4

Method: 317 - Bromate, Ion Chromatography

Analyte	Result	Qualifier	RL	Unit	D	Analyzed	Dil Fac	Analyst
Bromate	ND		0.0010	mg/L		02/17/26 01:50	1	XLG4

Method: 531.2 - Carbamate Pesticides (HPLC)

Analyte	Result	Qualifier	RL	Unit	D	Analyzed	Dil Fac	Analyst
3-Hydroxycarbofuran	ND		0.00050	mg/L		02/17/26 05:57	1	K9GY
Aldicarb (Temik)	ND		0.00050	mg/L		02/17/26 05:57	1	K9GY
Aldicarb sulfone	ND		0.00050	mg/L		02/17/26 05:57	1	K9GY
Aldicarb sulfoxide	ND		0.00050	mg/L		02/17/26 05:57	1	K9GY
Baygon	ND		0.00050	mg/L		02/17/26 05:57	1	K9GY
Carbaryl	ND		0.00050	mg/L		02/17/26 05:57	1	K9GY
Carbofuran (Furadan)	ND		0.00050	mg/L		02/17/26 05:57	1	K9GY
Methiocarb	ND		0.00050	mg/L		02/17/26 05:57	1	K9GY
Methomyl	ND		0.00050	mg/L		02/17/26 05:57	1	K9GY
Oxamyl (Vydate)	ND		0.00050	mg/L		02/17/26 05:57	1	K9GY

Surrogate	%Recovery	Qualifier	Limits	Analyzed	Dil Fac	Analyst
BDMC	104		70 - 130	02/17/26 05:57	1	K9GY

Method: 547 - Glyphosate (DAI HPLC)

Analyte	Result	Qualifier	RL	Unit	D	Analyzed	Dil Fac	Analyst
Glyphosate	ND		0.0060	mg/L		02/20/26 20:21	1	UD4M

Eurofins Pomona

Client Sample Results

Client: BlueTriton Brands
Project/Site: Bergman B2 Spring (Tanker)

Job ID: 380-197588-1

Client Sample ID: Bergman B2 Spring (Tanker)

Lab Sample ID: 380-197588-1

Date Collected: 02/11/26 12:00

Matrix: Drinking Water

Date Received: 02/11/26 16:34

Method: 549.2 - Diquat and Paraquat (HPLC)

Analyte	Result	Qualifier	RL	Unit	D	Analyzed	Dil Fac	Analyst
Diquat	ND		0.00038	mg/L		02/18/26 16:28	1	UD4M
Paraquat	ND		0.0019	mg/L		02/18/26 16:28	1	UD4M

Method: 331.0 - Perchlorate (LC/MS/MS)

Analyte	Result	Qualifier	RL	Unit	D	Analyzed	Dil Fac	Analyst
Perchlorate	ND		0.00050	mg/L		02/12/26 12:10	1	R6YA

Method: 533 - Perfluorinated and Polyfluorinated Alkyl Substances in Drinking Water

Analyte	Result	Qualifier	RL	Unit	D	Analyzed	Dil Fac	Analyst
11-Chloroeicosafluoro-3-oxaundecan e-1-sulfonic acid (11Cl-PF3OUdS)	ND		0.0000020	mg/L		03/04/26 08:29	1	SZ9R
9-Chlorohexadecafluoro-3-oxanonan e-1-sulfonic acid(9Cl-PF3ONS)	ND		0.0000020	mg/L		03/04/26 08:29	1	SZ9R
4,8-Dioxa-3H-perfluorononanoic acid (ADONA)	ND		0.0000020	mg/L		03/04/26 08:29	1	SZ9R
Hexafluoropropylene Oxide Dimer Acid (HFPO-DA/GenX)	ND		0.0000020	mg/L		03/04/26 08:29	1	SZ9R
Perfluorobutanesulfonic acid (PFBS)	ND		0.0000020	mg/L		03/04/26 08:29	1	SZ9R
Perfluorodecanoic acid (PFDA)	ND		0.0000020	mg/L		03/04/26 08:29	1	SZ9R
Perfluorododecanoic acid (PFDoA)	ND		0.0000020	mg/L		03/04/26 08:29	1	SZ9R
Perfluoroheptanoic acid (PFHpA)	ND		0.0000020	mg/L		03/04/26 08:29	1	SZ9R
Perfluorohexanesulfonic acid (PFHxS)	ND		0.0000020	mg/L		03/04/26 08:29	1	SZ9R
Perfluorohexanoic acid (PFHxA)	ND		0.0000020	mg/L		03/04/26 08:29	1	SZ9R
Perfluorononanoic acid (PFNA)	ND		0.0000020	mg/L		03/04/26 08:29	1	SZ9R
Perfluorooctanesulfonic acid (PFOS)	ND		0.0000020	mg/L		03/04/26 08:29	1	SZ9R
Perfluorooctanoic acid (PFOA)	ND		0.0000020	mg/L		03/04/26 08:29	1	SZ9R
Perfluoroundecanoic acid (PFUnA)	ND		0.0000020	mg/L		03/04/26 08:29	1	SZ9R
Perfluorobutanoic acid (PFBA)	ND		0.0000020	mg/L		03/04/26 08:29	1	SZ9R
1H,1H,2H,2H-Perfluorodecane sulfonic acid (8:2 FTS)	ND		0.0000020	mg/L		03/04/26 08:29	1	SZ9R
1H,1H,2H,2H-Perfluorohexane sulfonic acid (4:2 FTS)	ND		0.0000020	mg/L		03/04/26 08:29	1	SZ9R
1H,1H,2H,2H-Perfluorooctane sulfonic acid (6:2 FTS)	ND		0.0000020	mg/L		03/04/26 08:29	1	SZ9R
Nonafluoro-3,6-dioxaheptanoic acid (NFDHA)	ND		0.0000020	mg/L		03/04/26 08:29	1	SZ9R
Perfluoro (2-ethoxyethane) sulfonic acid (PFEEESA)	ND		0.0000020	mg/L		03/04/26 08:29	1	SZ9R
Perfluoro-3-methoxypropanoic acid (PFMPA)	ND		0.0000020	mg/L		03/04/26 08:29	1	SZ9R
Perfluoro-4-methoxybutanoic acid (PFMBA)	ND		0.0000020	mg/L		03/04/26 08:29	1	SZ9R
Perfluoropentanoic acid (PFPeA)	ND		0.0000020	mg/L		03/04/26 08:29	1	SZ9R
Perfluoroheptanesulfonic acid (PFHpS)	ND		0.0000020	mg/L		03/04/26 08:29	1	SZ9R
Perfluoropentanesulfonic acid (PFPeS)	ND		0.0000020	mg/L		03/04/26 08:29	1	SZ9R
Isotope Dilution	%Recovery	Qualifier	Limits			Analyzed	Dil Fac	Analyst
13C3 HFPO-DA	113		50 - 200			03/04/26 08:29	1	SZ9R
13C6 PFDA	110		50 - 200			03/04/26 08:29	1	SZ9R
13C5 PFHxA	112		50 - 200			03/04/26 08:29	1	SZ9R
13C4 PFHpA	116		50 - 200			03/04/26 08:29	1	SZ9R
13C8 PFOA	111		50 - 200			03/04/26 08:29	1	SZ9R

Eurofins Pomona

Client Sample Results

Client: BlueTriton Brands
Project/Site: Bergman B2 Spring (Tanker)

Job ID: 380-197588-1

Client Sample ID: Bergman B2 Spring (Tanker)

Lab Sample ID: 380-197588-1

Date Collected: 02/11/26 12:00

Matrix: Drinking Water

Date Received: 02/11/26 16:34

Method: 533 - Perfluorinated and Polyfluorinated Alkyl Substances in Drinking Water (Continued)

Isotope Dilution	%Recovery	Qualifier	Limits	Analyzed	Dil Fac	Analyst
13C9 PFNA	112		50 - 200	03/04/26 08:29	1	SZ9R
13C7 PFUnA	107		50 - 200	03/04/26 08:29	1	SZ9R
13C2 PFDoA	102		50 - 200	03/04/26 08:29	1	SZ9R
13C4 PFBA	112		50 - 200	03/04/26 08:29	1	SZ9R
13C5 PFPeA	113		50 - 200	03/04/26 08:29	1	SZ9R
13C3 PFBS	111		50 - 200	03/04/26 08:29	1	SZ9R
13C3 PFHxS	112		50 - 200	03/04/26 08:29	1	SZ9R
13C8 PFOS	111		50 - 200	03/04/26 08:29	1	SZ9R
13C2-4:2-FTS	114		50 - 200	03/04/26 08:29	1	SZ9R
13C2-6:2-FTS	107		50 - 200	03/04/26 08:29	1	SZ9R
13C2-8:2-FTS	104		50 - 200	03/04/26 08:29	1	SZ9R

Method: EPA 537.1 V2 - EPA 537.1 Ver. 2.0 March 2020

Analyte	Result	Qualifier	RL	Unit	D	Analyzed	Dil Fac	Analyst
Hexafluoropropylene Oxide Dimer Acid (HFPO-DA/GenX)	ND		0.0000020	mg/L		02/14/26 02:04	1	Y5FM
Perfluorooctanesulfonic acid (PFOS)	ND		0.0000020	mg/L		02/14/26 02:04	1	Y5FM
Perfluoroundecanoic acid (PFUnA)	ND		0.0000020	mg/L		02/14/26 02:04	1	Y5FM
N-methylperfluorooctanesulfonamidoacetic acid (NMeFOSAA)	ND		0.0000020	mg/L		02/14/26 02:04	1	Y5FM
N-ethylperfluorooctanesulfonamidoacetic acid (NEtFOSAA)	ND		0.0000020	mg/L		02/14/26 02:04	1	Y5FM
Perfluorohexanoic acid (PFHxA)	ND		0.0000020	mg/L		02/14/26 02:04	1	Y5FM
Perfluorododecanoic acid (PFDoA)	ND		0.0000020	mg/L		02/14/26 02:04	1	Y5FM
Perfluorooctanoic acid (PFOA)	ND		0.0000020	mg/L		02/14/26 02:04	1	Y5FM
Perfluorodecanoic acid (PFDA)	ND		0.0000020	mg/L		02/14/26 02:04	1	Y5FM
Perfluorohexanesulfonic acid (PFHxS)	ND		0.0000020	mg/L		02/14/26 02:04	1	Y5FM
Perfluorobutanesulfonic acid (PFBS)	ND		0.0000020	mg/L		02/14/26 02:04	1	Y5FM
Perfluoroheptanoic acid (PFHpA)	ND		0.0000020	mg/L		02/14/26 02:04	1	Y5FM
Perfluorononanoic acid (PFNA)	ND		0.0000020	mg/L		02/14/26 02:04	1	Y5FM
Perfluorotetradecanoic acid (PFTA)	ND		0.0000020	mg/L		02/14/26 02:04	1	Y5FM
Perfluorotridecanoic acid (PFTrDA)	ND		0.0000020	mg/L		02/14/26 02:04	1	Y5FM
9-Chlorohexadecafluoro-3-oxanonane-1-sulfonic acid(9Cl-PF3ONS)	ND		0.0000020	mg/L		02/14/26 02:04	1	Y5FM
11-Chloroeicosafluoro-3-oxaundecane-1-sulfonic acid (11Cl-PF3OUdS)	ND		0.0000020	mg/L		02/14/26 02:04	1	Y5FM
4,8-Dioxa-3H-perfluorononanoic acid (ADONA)	ND		0.0000020	mg/L		02/14/26 02:04	1	Y5FM

Surrogate	%Recovery	Qualifier	Limits	Analyzed	Dil Fac	Analyst
d5-NEtFOSAA	112		70 - 130	02/14/26 02:04	1	Y5FM
13C2 PFHxA	111		70 - 130	02/14/26 02:04	1	Y5FM
13C2 PFDA	109		70 - 130	02/14/26 02:04	1	Y5FM
13C3-GenX	113		70 - 130	02/14/26 02:04	1	Y5FM

Method: In-House Method - Acrylamide (LC/MS/MS)

Analyte	Result	Qualifier	RL	Unit	D	Analyzed	Dil Fac	Analyst
Acrylamide	ND		0.00010	mg/L		02/16/26 07:41	1	UKDT

Method: None - PFAS Hazard Index

Analyte	Result	Qualifier	RL	Unit	D	Analyzed	Dil Fac	Analyst
4-PFAS Hazard Index	0.00			NONE		02/14/26 02:04	1	Y7BM

Eurofins Pomona

Client Sample Results

Client: BlueTriton Brands
Project/Site: Bergman B2 Spring (Tanker)

Job ID: 380-197588-1

Client Sample ID: Bergman B2 Spring (Tanker)

Lab Sample ID: 380-197588-1

Date Collected: 02/11/26 12:00

Matrix: Drinking Water

Date Received: 02/11/26 16:34

Method: 1613B - Tetra Chlorinated Dioxin (GC/MS/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Analyzed	Dil Fac	Analyst
2,3,7,8-TCDD	ND		0.0000000 049		mg/L		02/18/26 23:57	1	X8AA
Isotope Dilution	%Recovery	Qualifier	Limits				Analyzed	Dil Fac	Analyst
13C-2,3,7,8-TCDD	75		31 - 137				02/18/26 23:57	1	X8AA

Method: 200.7 - Metals (ICP)

Analyte	Result	Qualifier	RL	Unit	D	Analyzed	Dil Fac	Analyst
Boron	ND		0.050	mg/L		02/13/26 12:06	1	MF7S
Calcium	14		0.10	mg/L		02/13/26 12:06	1	MF7S
Iron	ND		0.010	mg/L		02/13/26 12:06	1	MF7S
Magnesium	4.2		0.10	mg/L		02/13/26 12:06	1	MF7S
Potassium	3.4		0.20	mg/L		02/13/26 12:06	1	MF7S
Sodium	11		0.10	mg/L		02/13/26 12:06	1	MF7S

Method: 200.8 - Mercury (ICP/MS)

Analyte	Result	Qualifier	RL	Unit	D	Analyzed	Dil Fac	Analyst
Mercury	ND		0.00020	mg/L		02/13/26 12:45	1	T8BB

Method: 200.8 - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	Unit	D	Analyzed	Dil Fac	Analyst
Aluminum	ND		0.020	mg/L		02/13/26 12:45	1	T8BB
Antimony	ND		0.0010	mg/L		02/13/26 12:45	1	T8BB
Arsenic	ND		0.0010	mg/L		02/13/26 12:45	1	T8BB
Barium	0.060		0.0020	mg/L		02/13/26 12:45	1	T8BB
Beryllium	ND		0.00030	mg/L		02/13/26 12:45	1	T8BB
Cadmium	ND		0.00050	mg/L		02/13/26 12:45	1	T8BB
Chromium	ND		0.00090	mg/L		02/13/26 12:45	1	T8BB
Copper	ND		0.0010	mg/L		02/13/26 12:45	1	T8BB
Lead	ND		0.00050	mg/L		02/13/26 12:45	1	T8BB
Manganese	ND		0.0020	mg/L		02/13/26 12:45	1	T8BB
Molybdenum	0.0023		0.0020	mg/L		02/13/26 12:45	1	T8BB
Nickel	ND		0.0050	mg/L		02/13/26 12:45	1	T8BB
Selenium	ND		0.0020	mg/L		02/13/26 12:45	1	T8BB
Silver	ND		0.00050	mg/L		02/13/26 12:45	1	T8BB
Thallium	ND		0.00030	mg/L		02/13/26 12:45	1	T8BB
Uranium	ND		0.0010	mg/L		02/13/26 12:45	1	T8BB
Zinc	ND		0.0050	mg/L		02/13/26 12:45	1	T8BB
Analyte	Result	Qualifier	RL	Unit	D	Analyzed	Dil Fac	Analyst
Uranium	ND		0.67	pCi/L		02/13/26 12:45	1	T8BB

Method: SM 2340B - Total Hardness (as CaCO3) by calculation

Analyte	Result	Qualifier	RL	Unit	D	Analyzed	Dil Fac	Analyst
Total hardness as CaCO3	53		2.9	mg/L		02/15/26 23:29	1	C4WQ
Calcium hardness as CaCO3	36		2.5	mg/L		02/15/26 23:29	1	C4WQ

General Chemistry

Analyte	Result	Qualifier	RL	Unit	D	Analyzed	Dil Fac	Analyst
Turbidity (180.1)	0.10		0.10	NTU		02/13/26 08:32	1	EFJZ
Langelier Index at 25C (2330B)	-1.2			LangSU		02/12/26 10:31	1	UWAH
Phenols, Total (420.4)	ND		0.0010	mg/L		02/24/26 16:57	1	LQ3M

Eurofins Pomona

Client Sample Results

Client: BlueTriton Brands
Project/Site: Bergman B2 Spring (Tanker)

Job ID: 380-197588-1

Client Sample ID: Bergman B2 Spring (Tanker)

Lab Sample ID: 380-197588-1

Date Collected: 02/11/26 12:00

Matrix: Drinking Water

Date Received: 02/11/26 16:34

General Chemistry (Continued)

Analyte	Result	Qualifier	RL	Unit	D	Analyzed	Dil Fac	Analyst
Chlorine dioxide (4500 ClO ₂ D)	ND	HF	0.24	mg/L		02/16/26 15:14	1	LQ3M
Cyanide (4500 CN F)	ND		0.025	mg/L		02/20/26 08:44	1	MQP5
Color, Apparent (SM 2120B)	ND		2.0	Color Units		02/12/26 15:15	1	N9HH
Odor (SM 2150B)	ND		1.0	T.O.N.		02/11/26 17:49	1	N9HH
Alkalinity as CaCO ₃ (SM 2320B)	62		4.0	mg/L		02/13/26 20:36	1	PK4Q
Bicarbonate Alkalinity as CaCO ₃ (SM 2320B)	62		4.0	mg/L		02/13/26 20:36	1	PK4Q
Bicarbonate ion as HCO ₃ (SM 2320B)	75		4.9	mg/L		02/13/26 20:36	1	PK4Q
Carbonate as CO ₃ (SM 2320B)	ND		2.4	mg/L		02/13/26 20:36	1	PK4Q
Corrosivity (SM 2330B)	-1.1			LangSU		02/12/26 10:40	1	UWAH
Specific Conductance (SM 2510B)	170		2.0	umhos/cm		02/13/26 20:36	1	PK4Q
Total Dissolved Solids (TDS) (SM 2540C)	120		20	mg/L		02/12/26 15:00	1	UJRF
Chloramines, Total (SM 4500 Cl G)	ND	HF	0.050	mg/L		02/16/26 15:13	1	LQ3M
Carbon Dioxide, Free (SM 4500 CO ₂ D)	6.2		2.0	mg/L		02/12/26 10:50	1	UWAH
Fluoride (SM 4500 F C)	ND		0.050	mg/L		02/13/26 23:27	1	PK4Q
pH (SM 4500 H+ B)	7.3	HF	0.01	SU		02/13/26 20:36	1	PK4Q
Orthophosphate as P (SM 4500 P E)	ND		0.010	mg/L		02/12/26 10:00	1	EFJZ
N-POC (SM 5310C)	ND		0.30	mg/L		02/17/26 23:37	1	MIA8
Methylene Blue Active Substances (SM 5540C)	ND		0.10	mg/L		02/13/26 09:41	1	ZJ2C

Method: 7110B - Gross Alpha and Gross Beta Radioactivity

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDA	Unit	Analyzed	Dil Fac	Analyst
Gross Alpha	0.600	U	1.06		3.00	1.17	pCi/L	03/04/26 14:57	1	VH
Gross Beta	3.42		1.81		4.00	1.67	pCi/L	03/06/26 08:14	1	VH

Method: 7500 Ra D - Radium 226 Radium 228 Combined

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDA	Unit	Analyzed	Dil Fac	Analyst
Combined Radium 226 + 228	0.000	U	0.51624		1.00	0.430	pCi/L	03/11/26 11:18	1	SB

Method: SM7500 Ra B - Radium-226

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDA	Unit	Analyzed	Dil Fac	Analyst
Ra-226	0.200	U	0.360		1.00	0.430	pCi/L	03/06/26 09:23	1	SM

Method: SM7500 Ra D - Radium-228

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDA	Unit	Analyzed	Dil Fac	Analyst
Ra-228	0.150	U	0.370		1.00	0.390	pCi/L	03/11/26 11:18	1	OO

Eurofins Pomona

Client Sample Results

Client: BlueTriton Brands
Project/Site: Bergman B2 Spring (Tanker)

Job ID: 380-197588-1

Client Sample ID: Bergman B2 Spring (Tanker)

Lab Sample ID: 380-197588-1

Date Collected: 02/11/26 12:00

Matrix: Drinking Water

Date Received: 02/11/26 16:34

Method: SM7500_Rn_B - Radon

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDA	Unit	Analyzed	Dil Fac	Analyst
Radon 222	4590		88.7		50.0	13.5	pCi/L	02/14/26 17:54	1	V7DE

Method: 100.2 Asbestos in DW - EPA 100.2 Asbestos in Drinking Water

Analyte	Result	Qualifier	RL	MDL	Unit	D	Analyzed	Dil Fac	Analyst
ASBESTOS	ND		0.178		MFL		02/27/26 09:51	1	Partima Poudel Acharya

Eurofins Pomona
941 Corporate Center Drive
Pomona, CA 91768-2642

Laboratory Data
Job #: 380-197588-1

Client: BlueTriton Brands
900 Long Ridge Rd
Stamford, CT 06902
Attention: Tam Pham

Report Date: 03/12/2026

Parameter	Method	Reporting Limit	Result	Unit
Sample ID: Bergman B2 Spring (Tanker)		Sample #: 380-197588-1		
Primary Inorganics				
Antimony	200.8	0.0010	ND	mg/L
Arsenic	200.8	0.0010	ND	mg/L
Barium	200.8	0.0020	0.060	mg/L
Beryllium	200.8	0.00030	ND	mg/L
Cadmium	200.8	0.00050	ND	mg/L
Chromium	200.8	0.00090	ND	mg/L
Cyanide	4500 CN F	0.025	ND	mg/L
Fluoride	SM 4500 F C	0.050	ND	mg/L
Lead	200.8	0.00050	ND	mg/L
Mercury	200.8	0.00020	ND	mg/L
Nickel	200.8	0.0050	ND	mg/L
Nitrate as N	300.0	0.050	0.72	mg/L
Nitrite as N	300.0	0.050	ND	mg/L
Selenium	200.8	0.0020	ND	mg/L
Thallium	200.8	0.00030	ND	mg/L
Secondary Inorganics				
Alkalinity as CaCO3	SM 2320B	4.0	62	mg/L
Aluminum	200.8	0.020	ND	mg/L
Bicarbonate Alkalinity as CaCO3	SM 2320B	4.0	62	mg/L
Boron	200.7	0.050	ND	mg/L
Bromide	300.1	0.0020	0.024	mg/L
Calcium	200.7	0.10	14	mg/L
Carbon Dioxide, Free	SM 4500 CO2 D	2.0	6.2	mg/L
Chloride	300.0	0.50	6.7	mg/L
Copper	200.8	0.0010	ND	mg/L
Corrosivity	SM 2330B		-1.1	LangSU
Methylene Blue Active Substances	SM 5540C	0.10	ND	mg/L
Calcium hardness as CaCO3	SM 2340B	2.5	36	mg/L
Total hardness as CaCO3	SM 2340B	2.9	53	mg/L
Iron	200.7	0.010	ND	mg/L
Magnesium	200.7	0.10	4.2	mg/L
Manganese	200.8	0.0020	ND	mg/L
pH	SM 4500 H+ B	0.01	7.3	SU
Potassium	200.7	0.20	3.4	mg/L
Silver	200.8	0.00050	ND	mg/L
Sodium	200.7	0.10	11	mg/L
Specific Conductance	SM 2510B	2.0	170	umhos/cm

ND - Not detected at the specified limit.

Eurofins Pomona
941 Corporate Center Drive
Pomona, CA 91768-2642Client: BlueTriton Brands
900 Long Ridge Rd
Stamford, CT 06902

Report Date: 03/12/2026

Attention: Tam Pham

Parameter	Method	Reporting Limit	Result	Unit
Sulfate	300.0	0.25	6.3	mg/L
Total Dissolved Solids (TDS)	SM 2540C	20	120	mg/L
Uranium	200.8	0.0010	ND	mg/L
Zinc	200.8	0.0050	ND	mg/L
Physical				
Odor	SM 2150B	1.0	ND	T.O.N.
Turbidity	180.1	0.10	0.10	NTU
Volatile Organic Compounds				
Benzene	524.2	0.00050	ND	mg/L
Bromobenzene	524.2	0.00050	ND	mg/L
Bromochloromethane	524.2	0.00050	ND	mg/L
Bromodichloromethane	524.2	0.00050	ND	mg/L
Bromoform	524.2	0.00050	ND	mg/L
Bromomethane (Methyl Bromide)	524.2	0.00050	ND	mg/L
n-Butylbenzene	524.2	0.00050	ND	mg/L
sec-Butylbenzene	524.2	0.00050	ND	mg/L
tert-Butylbenzene	524.2	0.00050	ND	mg/L
Carbon tetrachloride	524.2	0.00050	ND	mg/L
Chlorobenzene	524.2	0.00050	ND	mg/L
Chloroethane	524.2	0.00050	ND	mg/L
Chloroform (Trichloromethane)	524.2	0.00050	ND	mg/L
Chloromethane (methyl chloride)	524.2	0.00050	ND	mg/L
o-Chlorotoluene	524.2	0.00050	ND	mg/L
p-Chlorotoluene	524.2	0.00050	ND	mg/L
Chlorodibromomethane	524.2	0.00050	ND	mg/L
Dibromomethane	524.2	0.00050	ND	mg/L
o-Dichlorobenzene (1,2-DCB)	524.2	0.00050	ND	mg/L
m-Dichlorobenzene (1,3-DCB)	524.2	0.00050	ND	mg/L
p-Dichlorobenzene (1,4-DCB)	524.2	0.00050	ND	mg/L
Dichlorodifluoromethane	524.2	0.00050	ND	mg/L
1,1-Dichloroethane	524.2	0.00050	ND	mg/L
1,2-Dichloroethane	524.2	0.00050	ND	mg/L
1,1-Dichloroethylene	524.2	0.00050	ND	mg/L
cis-1,2-Dichloroethylene	524.2	0.00050	ND	mg/L
trans-1,2-Dichloroethylene	524.2	0.00050	ND	mg/L
1,2-Dichloropropane	524.2	0.00050	ND	mg/L
1,3-Dichloropropane	524.2	0.00050	ND	mg/L
2,2-Dichloropropane	524.2	0.00050	ND	mg/L
1,1-Dichloropropene	524.2	0.00050	ND	mg/L
cis-1,3-Dichloropropene	524.2	0.00050	ND	mg/L

ND - Not detected at the specified limit.

Eurofins Pomona
941 Corporate Center Drive
Pomona, CA 91768-2642Client: BlueTriton Brands
900 Long Ridge Rd
Stamford, CT 06902

Report Date: 03/12/2026

Attention: Tam Pham

Parameter	Method	Reporting Limit	Result	Unit
trans-1,3-Dichloropropene	524.2	0.00050	ND	mg/L
di-Isopropyl ether	524.2	0.0030	ND	mg/L
Ethylbenzene	524.2	0.00050	ND	mg/L
Hexachlorobutadiene	524.2	0.00050	ND	mg/L
Isopropylbenzene	524.2	0.00050	ND	mg/L
p-Isopropyltoluene	524.2	0.00050	ND	mg/L
4-Methyl-2-pentanone (MIBK)	524.2	0.0050	ND	mg/L
Methyl-tert-butyl Ether (MTBE)	524.2	0.00050	ND	mg/L
2-Butanone (MEK)	524.2	0.0050	ND	mg/L
Methylene Chloride	524.2	0.00050	ND	mg/L
Naphthalene	524.2	0.00050	ND	mg/L
N-Propylbenzene	524.2	0.00050	ND	mg/L
Styrene	524.2	0.00050	ND	mg/L
Tert-amyl methyl ether	524.2	0.0030	ND	mg/L
Tert-butyl ethyl ether	524.2	0.0030	ND	mg/L
1,1,1,2-Tetrachloroethane	524.2	0.00050	ND	mg/L
1,1,2,2-Tetrachloroethane	524.2	0.00050	ND	mg/L
Tetrachloroethene (PCE)	524.2	0.00050	ND	mg/L
Toluene	524.2	0.00050	ND	mg/L
1,2,3-Trichlorobenzene	524.2	0.00050	ND	mg/L
1,2,4-Trichlorobenzene	524.2	0.00050	ND	mg/L
1,1,1-Trichloroethane	524.2	0.00050	ND	mg/L
1,1,2-Trichloroethane	524.2	0.00050	ND	mg/L
Trichloroethylene (TCE)	524.2	0.00050	ND	mg/L
Trichlorofluoromethane (Freon 11)	524.2	0.00050	ND	mg/L
Trichlorotrifluoroethane	524.2	0.00050	ND	mg/L
1,2,3-Trichloropropane	504.1	0.000020	ND	mg/L
1,2,3-Trichloropropane	SRL 524M	0.0000050	ND	mg/L
1,2,4-Trimethylbenzene	524.2	0.00050	ND	mg/L
1,3,5-Trimethylbenzene	524.2	0.00050	ND	mg/L
Vinyl Chloride (VC)	524.2	0.00030	ND	mg/L
Xylenes, Total	524.2	0.00050	ND	mg/L
m,p-Xylenes	524.2	0.00050	ND	mg/L
o-Xylene	524.2	0.00050	ND	mg/L
Trihalomethanes, Total	524.2	0.00050	ND	mg/L
Carbon disulfide	524.2	0.00050	ND	mg/L

EDB and DBCP

Dibromochloropropane (DBCP)	504.1	0.000010	ND	mg/L
Ethylene Dibromide (EDB)	504.1	0.000010	ND	mg/L

Pesticides and PCBs

ND - Not detected at the specified limit.

Eurofins Pomona
941 Corporate Center Drive
Pomona, CA 91768-2642

Laboratory Data
Job #: 380-197588-1

Client: BlueTriton Brands
900 Long Ridge Rd
Stamford, CT 06902

Report Date: 03/12/2026

Attention: Tam Pham

Parameter	Method	Reporting Limit	Result	Unit
Alachlor (Alanex)	525.2	0.000049	ND	mg/L
Aldrin	525.2	0.0000099	ND	mg/L
Dieldrin	525.2	0.0000099	ND	mg/L
Endrin	525.2	0.0000099	ND	mg/L
Heptachlor	525.2	0.0000099	ND	mg/L
Heptachlor epoxide (isomer B)	525.2	0.0000099	ND	mg/L
Lindane (gamma-BHC)	525.2	0.0000099	ND	mg/L
Methoxychlor	525.2	0.000049	ND	mg/L
Total PCBs	505	0.00010	ND	mg/L
PCB-1016	505	0.000070	ND	mg/L
PCB-1221	505	0.00010	ND	mg/L
PCB-1232	505	0.00010	ND	mg/L
PCB-1242	505	0.00010	ND	mg/L
PCB-1248	505	0.00010	ND	mg/L
PCB-1254	505	0.00010	ND	mg/L
PCB-1260	505	0.000070	ND	mg/L
Toxaphene	505	0.00050	ND	mg/L
Herbicides				
2,4,5-T	515.4	0.00020	ND	mg/L
2,4,5-TP (Silvex)	515.4	0.00010	ND	mg/L
2,4-D	515.4	0.00010	ND	mg/L
2,4-DB	515.4	0.0020	ND	mg/L
Dichlorprop	515.4	0.00050	ND	mg/L
Acifluorfen	515.4	0.00020	ND	mg/L
Bentazon	515.4	0.00050	ND	mg/L
Dalapon	515.4	0.0010	ND	mg/L
3,5-Dichlorobenzoic acid	515.4	0.00050	ND	mg/L
DCPA Mon/Di-Acid Degradates	515.4	0.00010	ND	mg/L
Dicamba	515.4	0.00010	ND	mg/L
Dinoseb	515.4	0.00020	ND	mg/L
Pentachlorophenol	515.4	0.000040	ND	mg/L
Picloram	515.4	0.00010	ND	mg/L
Semivolatile Organic Compounds				
Acenaphthene	525.2	0.000099	ND	mg/L
Acenaphthylene	525.2	0.000099	ND	mg/L
Acetochlor	525.2	0.000099	ND	mg/L
alpha-BHC	525.2	0.000099	ND	mg/L
alpha-Chlordane	525.2	0.000049	ND	mg/L
Anthracene	525.2	0.000020	ND	mg/L
Atrazine	525.2	0.000049	ND	mg/L

ND - Not detected at the specified limit.

Eurofins Pomona
941 Corporate Center Drive
Pomona, CA 91768-2642

Laboratory Data
Job #: 380-197588-1

Client: BlueTriton Brands
900 Long Ridge Rd
Stamford, CT 06902

Report Date: 03/12/2026

Attention: Tam Pham

Parameter	Method	Reporting Limit	Result	Unit
Benz[a]anthracene	525.2	0.000049	ND	mg/L
Benzo[a]pyrene	525.2	0.000020	ND	mg/L
Benzo[g,h,i]perylene	525.2	0.000049	ND	mg/L
Benzo[b]fluoranthene	525.2	0.000020	ND	mg/L
Benzo[k]fluoranthene	525.2	0.000020	ND	mg/L
beta-BHC	525.2	0.000099	ND	mg/L
Butachlor	525.2	0.000049	ND	mg/L
Butylbenzylphthalate	525.2	0.00049	ND	mg/L
Chlorobenzilate	525.2	0.000099	ND	mg/L
Chloroneb	525.2	0.000099	ND	mg/L
Chlorothalonil (Draconil, Bravo)	525.2	0.000099	ND	mg/L
Chlorpyrifos	525.2	0.000049	ND	mg/L
Chrysene	525.2	0.000020	ND	mg/L
Bromacil	525.2	0.000099	ND	mg/L
4,4'-DDD	525.2	0.000099	ND	mg/L
4,4'-DDE	525.2	0.000099	ND	mg/L
4,4'-DDT	525.2	0.000099	ND	mg/L
delta-BHC	525.2	0.000099	ND	mg/L
Dibenz(a,h)anthracene	525.2	0.000049	ND	mg/L
Diethylphthalate	525.2	0.00049	ND	mg/L
Diazinon (Qualitative)	525.2	0.000097	ND	mg/L
Dichlorvos	525.2	0.000049	ND	mg/L
Dimethoate	525.2	0.000099	ND	mg/L
Di-n-butylphthalate	525.2	0.00099	ND	mg/L
2,4-Dinitrotoluene	525.2	0.000099	ND	mg/L
Di-n-octylphthalate	525.2	0.000099	ND	mg/L
2,6-Dinitrotoluene	525.2	0.000099	ND	mg/L
Di(2-ethylhexyl)adipate	525.2	0.00059	ND	mg/L
Dimethylphthalate	525.2	0.00049	ND	mg/L
Endosulfan I (Alpha)	525.2	0.000099	ND	mg/L
Endosulfan II (Beta)	525.2	0.000099	ND	mg/L
Endosulfan sulfate	525.2	0.000099	ND	mg/L
Endrin aldehyde	525.2	0.000099	ND	mg/L
EPTC	525.2	0.000099	ND	mg/L
Fluoranthene	525.2	0.000099	ND	mg/L
Fluorene	525.2	0.000049	ND	mg/L
gamma-Chlordane	525.2	0.000049	ND	mg/L
Hexachlorobenzene	525.2	0.000049	ND	mg/L
Hexachlorocyclopentadiene	525.2	0.000049	ND	mg/L
Indeno[1,2,3-cd]pyrene	525.2	0.000049	ND	mg/L
Isophorone	525.2	0.000099	ND	mg/L

ND - Not detected at the specified limit.

Eurofins Pomona
941 Corporate Center Drive
Pomona, CA 91768-2642Client: BlueTriton Brands
900 Long Ridge Rd
Stamford, CT 06902

Report Date: 03/12/2026

Attention: Tam Pham

Parameter	Method	Reporting Limit	Result	Unit
Malathion	525.2	0.000099	ND	mg/L
Metolachlor	525.2	0.000049	ND	mg/L
Metribuzin	525.2	0.000049	ND	mg/L
Molinate	525.2	0.000099	ND	mg/L
trans-Nonachlor	525.2	0.000049	ND	mg/L
Parathion	525.2	0.000099	ND	mg/L
Pendimethalin	525.2	0.000099	ND	mg/L
Total Permethrin (mixed isomers)	525.2	0.00020	ND	mg/L
Phenanthrene	525.2	0.000039	ND	mg/L
Propachlor	525.2	0.000049	ND	mg/L
Pyrene	525.2	0.000049	ND	mg/L
Simazine	525.2	0.000049	ND	mg/L
Terbuthylazine	525.2	0.000099	ND	mg/L
Terbacil	525.2	0.000099	ND	mg/L
Thiobencarb	525.2	0.000099	ND	mg/L
Trifluralin	525.2	0.000099	ND	mg/L
Carbamates				
Aldicarb (Temik)	531.2	0.00050	ND	mg/L
Aldicarb sulfone	531.2	0.00050	ND	mg/L
Aldicarb sulfoxide	531.2	0.00050	ND	mg/L
Baygon	531.2	0.00050	ND	mg/L
Carbaryl	531.2	0.00050	ND	mg/L
Carbofuran (Furadan)	531.2	0.00050	ND	mg/L
3-Hydroxycarbofuran	531.2	0.00050	ND	mg/L
Methiocarb	531.2	0.00050	ND	mg/L
Methomyl	531.2	0.00050	ND	mg/L
Other Organics				
Glyphosate	547	0.0060	ND	mg/L
Endothall	548.1	0.0050	ND	mg/L
Diquat	549.2	0.00038	ND	mg/L
Paraquat	549.2	0.0019	ND	mg/L
Ametryn	525.2	0.000099	ND	mg/L
Ethoprop	525.2	0.000099	ND	mg/L
Fenarimol	525.2	0.000099	ND	mg/L
Fluridone	525.2	0.000099	ND	mg/L
Hexazinone	525.2	0.000099	ND	mg/L
Mevinphos	525.2	0.000099	ND	mg/L
Napropamide	525.2	0.000099	ND	mg/L
Norflurazon	525.2	0.000099	ND	mg/L
Prometon	525.2	0.000097	ND	mg/L

ND - Not detected at the specified limit.

Eurofins Pomona
941 Corporate Center Drive
Pomona, CA 91768-2642

Laboratory Data
Job #: 380-197588-1

Client: BlueTriton Brands
900 Long Ridge Rd
Stamford, CT 06902
Attention: Tam Pham

Report Date: 03/12/2026

Parameter	Method	Reporting Limit	Result	Unit
Prometryne	525.2	0.000099	ND	mg/L
Disinfection By-products				
Bromate	317	0.0010	ND	mg/L
Chlorite	300.0	0.010	ND	mg/L
Bromochloroacetic acid	6251B	0.0010	ND	mg/L
Dibromoacetic acid	6251B	0.0010	ND	mg/L
Dichloroacetic acid	6251B	0.0010	ND	mg/L
Monobromoacetic acid	6251B	0.0010	ND	mg/L
Monochloroacetic acid	6251B	0.0020	ND	mg/L
Trichloroacetic acid	6251B	0.0010	ND	mg/L
Chloramines, Total	SM 4500 Cl G	0.050	ND	mg/L
Chlorine dioxide	4500 ClO2 D	0.24	ND	mg/L
WHO Parameters				
Acrylamide	In-House Method	0.00010	ND	mg/L
Epichlorohydrin	524.2	0.00010	ND	mg/L
Other Compounds				
Perchlorate	331.0	0.00050	ND	mg/L
Gross Alpha	7110B	3.00	0.600	pCi/L
Gross Beta	7110B	4.00	3.42	pCi/L
Radon 222	SM7500_Rn_B	50.0	4590	pCi/L
Ra-226	SM7500 Ra B	1.00	0.200	pCi/L
Ra-228	SM7500 Ra D	1.00	0.150	pCi/L
Combined Radium 226 + 228	7500 Ra D	1.00	0.000	pCi/L
2,3,7,8-TCDD	1613B	0.0000000049	ND	mg/L
N-Nitrosodimethylamine (NDMA)	521.1	0.0000021	ND	mg/L
Perfluorooctanesulfonic acid (PFOS)	533	0.0000020	ND	mg/L
Perfluorooctanesulfonic acid (PFOS)	EPA 537.1 V2	0.0000020	ND	mg/L
Perfluorobutanoic acid (PFBA)	533	0.0000020	ND	mg/L
Perfluorooctanoic acid (PFOA)	533	0.0000020	ND	mg/L
Perfluorooctanoic acid (PFOA)	EPA 537.1 V2	0.0000020	ND	mg/L
Perfluoropentanoic acid (PFPeA)	533	0.0000020	ND	mg/L
Perfluorohexanoic acid (PFHxA)	533	0.0000020	ND	mg/L
Perfluorohexanoic acid (PFHxA)	EPA 537.1 V2	0.0000020	ND	mg/L
Perfluoroheptanoic acid (PFHpA)	EPA 537.1 V2	0.0000020	ND	mg/L
Perfluoroheptanoic acid (PFHpA)	533	0.0000020	ND	mg/L
Perfluorononanoic acid (PFNA)	533	0.0000020	ND	mg/L
Perfluorononanoic acid (PFNA)	EPA 537.1 V2	0.0000020	ND	mg/L
Perfluorodecanoic acid (PFDA)	533	0.0000020	ND	mg/L
Perfluorodecanoic acid (PFDA)	EPA 537.1 V2	0.0000020	ND	mg/L

ND - Not detected at the specified limit.

Eurofins Pomona
941 Corporate Center Drive
Pomona, CA 91768-2642

Laboratory Data
Job #: 380-197588-1

Client: BlueTriton Brands
900 Long Ridge Rd
Stamford, CT 06902

Report Date: 03/12/2026

Attention: Tam Pham

Parameter	Method	Reporting Limit	Result	Unit
Perfluorohexanesulfonic acid (PFHxS)	EPA 537.1 V2	0.0000020	ND	mg/L
Perfluorohexanesulfonic acid (PFHxS)	533	0.0000020	ND	mg/L
N-ethylperfluorooctanesulfonamidoacetic acid	EPA 537.1 V2	0.0000020	ND	mg/L
11-Chloroeicosafluoro-3-oxaundecane-1-sulfo	533	0.0000020	ND	mg/L
11-Chloroeicosafluoro-3-oxaundecane-1-sulfo	EPA 537.1 V2	0.0000020	ND	mg/L
9-Chlorohexadecafluoro-3-oxanonane-1-sulfo	EPA 537.1 V2	0.0000020	ND	mg/L
9-Chlorohexadecafluoro-3-oxanonane-1-sulfo	533	0.0000020	ND	mg/L
Perfluorobutanesulfonic acid (PFBS)	EPA 537.1 V2	0.0000020	ND	mg/L
Perfluorobutanesulfonic acid (PFBS)	533	0.0000020	ND	mg/L
4,8-Dioxa-3H-perfluorononanoic acid (ADONA	EPA 537.1 V2	0.0000020	ND	mg/L
4,8-Dioxa-3H-perfluorononanoic acid (ADONA	533	0.0000020	ND	mg/L
Perfluorotetradecanoic acid (PFTA)	EPA 537.1 V2	0.0000020	ND	mg/L
Perfluorotridecanoic acid (PFTTrDA)	EPA 537.1 V2	0.0000020	ND	mg/L
Perfluoroundecanoic acid (PFUnA)	533	0.0000020	ND	mg/L
Perfluoroundecanoic acid (PFUnA)	EPA 537.1 V2	0.0000020	ND	mg/L
Hexafluoropropylene Oxide Dimer Acid (HFPC	EPA 537.1 V2	0.0000020	ND	mg/L
Hexafluoropropylene Oxide Dimer Acid (HFPC	533	0.0000020	ND	mg/L
N-POC	SM 5310C	0.30	ND	mg/L
Molybdenum	200.8	0.0020	0.0023	mg/L
1,4-Dioxane	522	0.000070	ND	mg/L

Other Unclassified Analytes

Color, Apparent	SM 2120B	2.0	ND	Color Uni
Phenols, Total	420.4	0.0010	ND	mg/L
Orthophosphate as P	SM 4500 P E	0.010	ND	mg/L
Chlordane	505	0.00010	ND	mg/L
Oxamyl (Vydate)	531.2	0.00050	ND	mg/L
Azinphos-methyl	525.2	0.000099	ND	mg/L
1H,1H,2H,2H-Perfluorodecane sulfonic acid (8	533	0.0000020	ND	mg/L
1H,1H,2H,2H-Perfluorohexane sulfonic acid (4	533	0.0000020	ND	mg/L
1H,1H,2H,2H-Perfluorooctane sulfonic acid (6:	533	0.0000020	ND	mg/L
Nonafluoro-3,6-dioxaheptanoic acid (NFDHA)	533	0.0000020	ND	mg/L
Chlorate	300.0	0.010	ND	mg/L
Perfluoro (2-ethoxyethane) sulfonic acid (PFEI	533	0.0000020	ND	mg/L
Perfluoro-3-methoxypropanoic acid (PFMPA)	533	0.0000020	ND	mg/L
Di (2-ethylhexyl)phthalate	525.2	0.00059	ND	mg/L
Perfluoro-4-methoxybutanoic acid (PFMBA)	533	0.0000020	ND	mg/L
Perfluoroheptanesulfonic acid (PFHpS)	533	0.0000020	ND	mg/L
Perfluoropentanesulfonic acid (PFPeS)	533	0.0000020	ND	mg/L
Bicarbonate ion as HCO ₃	SM 2320B	4.9	75	mg/L
N-methylperfluorooctanesulfonamidoacetic aci	EPA 537.1 V2	0.0000020	ND	mg/L

ND - Not detected at the specified limit.

Eurofins Pomona
941 Corporate Center Drive
Pomona, CA 91768-2642

Laboratory Data
Job #: 380-197588-1

Client: BlueTriton Brands
900 Long Ridge Rd
Stamford, CT 06902

Report Date: 03/12/2026

Attention: Tam Pham

Parameter	Method	Reporting Limit	Result	Unit
Langelier Index at 25C	2330B		-1.2	LangSU
Carbonate as CO3	SM 2320B	2.4	ND	mg/L
4-PFAS Hazard Index	None		0.00	NONE
Total Haloacetic Acids 5	6251B	0.0020	ND	mg/L
Perfluorododecanoic acid (PFDoA)	533	0.0000020	ND	mg/L
Perfluorododecanoic acid (PFDoA)	EPA 537.1 V2	0.0000020	ND	mg/L

Action Limit Summary

Client: BlueTriton Brands
Project/Site: Bergman B2 Spring (Tanker)

Job ID: 380-197588-1

Client Sample ID: Bergman B2 Spring (Tanker)

Lab Sample ID: 380-197588-1

Action Limits

Results have been compared against the following action or regulatory limits. Any results or detection limits which exceed the limit are highlighted in bold.

Analyte	Result	Qualifier	Unit	IBWA SOQ Limit	FDA SOQ Limit	RL	Method	Prep Type
Trihalomethanes, Total	ND		mg/L	0.01	0.08	0.00050	524.2	Total/NA
1,1,1-Trichloroethane	ND		mg/L	0.03	0.2	0.00050	524.2	Total/NA
1,1,2,2-Tetrachloroethane	ND	^3+	mg/L	0.001		0.00050	524.2	Total/NA
1,1,2-Trichloroethane	ND		mg/L	0.003	0.005	0.00050	524.2	Total/NA
1,1-Dichloroethane	ND		mg/L	0.05		0.00050	524.2	Total/NA
1,1-Dichloroethylene	ND		mg/L	0.002	0.007	0.00050	524.2	Total/NA
1,2,4-Trichlorobenzene	ND		mg/L	0.009	0.07	0.00050	524.2	Total/NA
1,2-Dichloroethane	ND		mg/L	0.002	0.005	0.00050	524.2	Total/NA
1,2-Dichloropropane	ND		mg/L	0.005	0.005	0.00050	524.2	Total/NA
Benzene	ND		mg/L	0.001	0.005	0.00050	524.2	Total/NA
Carbon tetrachloride	ND		mg/L	0.002	0.005	0.00050	524.2	Total/NA
Chlorobenzene	ND		mg/L	0.05	0.1	0.00050	524.2	Total/NA
Methylene Chloride	ND		mg/L	0.003	0.005	0.00050	524.2	Total/NA
cis-1,2-Dichloroethylene	ND		mg/L	0.07	0.07	0.00050	524.2	Total/NA
Ethylbenzene	ND		mg/L	0.7	0.7	0.00050	524.2	Total/NA
m-Dichlorobenzene (1,3-DCB)	ND		mg/L	0.6		0.00050	524.2	Total/NA
Methyl-tert-butyl Ether (MTBE)	ND		mg/L	0.07		0.00050	524.2	Total/NA
Naphthalene	ND	^3+	mg/L	0.3		0.00050	524.2	Total/NA
o-Dichlorobenzene (1,2-DCB)	ND		mg/L	0.6	0.6	0.00050	524.2	Total/NA
p-Dichlorobenzene (1,4-DCB)	ND		mg/L	0.075	0.075	0.00050	524.2	Total/NA
Styrene	ND		mg/L	0.1	0.1	0.00050	524.2	Total/NA
Tetrachloroethene (PCE)	ND		mg/L	0.001	0.005	0.00050	524.2	Total/NA
Toluene	ND		mg/L	1	1	0.00050	524.2	Total/NA
Xylenes, Total	ND		mg/L	1	10	0.00050	524.2	Total/NA
trans-1,2-Dichloroethylene	ND		mg/L	0.1	0.1	0.00050	524.2	Total/NA
Trichloroethylene (TCE)	ND		mg/L	0.001	0.005	0.00050	524.2	Total/NA
Vinyl Chloride (VC)	ND		mg/L	0.002	0.002	0.00030	524.2	Total/NA
Alachlor (Alanex)	ND		mg/L	0.002	0.002	0.000049	525.2	Total/NA
Atrazine	ND		mg/L	0.003	0.003	0.000049	525.2	Total/NA
Benzo[a]pyrene	ND		mg/L	0.0002	0.0002	0.000020	525.2	Total/NA
Di (2-ethylhexyl)phthalate	ND		mg/L	0.006	0.006	0.00059	525.2	Total/NA
Di(2-ethylhexyl)adipate	ND		mg/L	0.4	0.4	0.00059	525.2	Total/NA
Endrin	ND		mg/L	0.002	0.002	0.0000099	525.2	Total/NA
Lindane (gamma-BHC)	ND		mg/L	0.0002	0.0002	0.0000099	525.2	Total/NA
Heptachlor	ND		mg/L	0.0004	0.0004	0.0000099	525.2	Total/NA
Heptachlor epoxide (isomer B)	ND		mg/L	0.0002	0.0002	0.0000099	525.2	Total/NA
Hexachlorobenzene	ND		mg/L	0.001	0.001	0.000049	525.2	Total/NA
Hexachlorocyclopentadiene	ND		mg/L	0.05	0.05	0.000049	525.2	Total/NA
Methoxychlor	ND		mg/L	0.04	0.04	0.000049	525.2	Total/NA
Simazine	ND		mg/L	0.004	0.004	0.000049	525.2	Total/NA
Endothall	ND		mg/L	0.1	0.1	0.0050	548.1	Total/NA
Ethylene Dibromide (EDB)	ND		mg/L	5E-05	5E-05	0.000010	504.1	Total/NA
Dibromochloropropane (DBCP)	ND		mg/L	0.0002	0.0002	0.000010	504.1	Total/NA
Chlordane	ND		mg/L	0.0005	0.002	0.00010	505	Total/NA
Toxaphene	ND		mg/L	0.003	0.003	0.00050	505	Total/NA
Total PCBs	ND		mg/L	0.0005	0.0005	0.00010	505	Total/NA
2,4,5-TP (Silvex)	ND		mg/L	0.01	0.05	0.00010	515.4	Total/NA
2,4-D	ND		mg/L	0.07	0.07	0.00010	515.4	Total/NA

Eurofins Pomona

Action Limit Summary

Client: BlueTriton Brands
Project/Site: Bergman B2 Spring (Tanker)

Job ID: 380-197588-1

Client Sample ID: Bergman B2 Spring (Tanker) (Continued)

Lab Sample ID: 380-197588-1

Action Limits

Results have been compared against the following action or regulatory limits. Any results or detection limits which exceed the limit are highlighted in bold.

Analyte	Result	Qualifier	Unit	IBWA SOQ Limit	FDA SOQ Limit	RL	Method	Prep Type
Dalapon	ND		mg/L	0.2	0.2	0.0010	515.4	Total/NA
Dinoseb	ND		mg/L	0.007	0.007	0.00020	515.4	Total/NA
Pentachlorophenol	ND		mg/L	0.001	0.001	0.000040	515.4	Total/NA
Picloram	ND		mg/L	0.5	0.5	0.00010	515.4	Total/NA
Total Haloacetic Acids 5	ND		mg/L	0.06	0.06	0.0020	6251B	Total/NA
Chloride	6.7		mg/L	250	250	0.50	300.0	Total/NA
Chlorite	ND		mg/L	1	1	0.010	300.0	Total/NA
Nitrate as N	0.72		mg/L	10	10	0.050	300.0	Total/NA
Nitrite as N	ND		mg/L	1	1	0.050	300.0	Total/NA
Sulfate	6.3		mg/L	250	250	0.25	300.0	Total/NA
Bromate	ND		mg/L	0.01	0.01	0.0010	317	Total/NA
Aldicarb (Temik)	ND		mg/L	0.003		0.00050	531.2	Total/NA
Aldicarb sulfone	ND		mg/L	0.003		0.00050	531.2	Total/NA
Aldicarb sulfoxide	ND		mg/L	0.004		0.00050	531.2	Total/NA
Carbofuran (Furadan)	ND		mg/L	0.04	0.04	0.00050	531.2	Total/NA
Oxamyl (Vydate)	ND		mg/L	0.2	0.2	0.00050	531.2	Total/NA
Glyphosate	ND		mg/L	0.7	0.7	0.0060	547	Total/NA
Diquat	ND		mg/L	0.02	0.02	0.00038	549.2	Total/NA
Perchlorate	ND		mg/L	0.002		0.00050	331.0	Total/NA
11-Chloroeicosafluoro-3-oxaundecane-1-sulfonic acid (11Cl-PF3OUdS)	ND		mg/L	0.000005		0.0000020	533	Total/NA
9-Chlorohexadecafluoro-3-oxanonane-1-sulfonic acid(9Cl-PF3ONS)	ND		mg/L	0.000005		0.0000020	533	Total/NA
4,8-Dioxa-3H-perfluorononanoic acid (ADONA)	ND		mg/L	0.000005		0.0000020	533	Total/NA
Hexafluoropropylene Oxide Dimer Acid (HFPO-DA/GenX)	ND		mg/L	0.000005		0.0000020	533	Total/NA
Perfluorobutanesulfonic acid (PFBS)	ND		mg/L	0.000005		0.0000020	533	Total/NA
Perfluorodecanoic acid (PFDA)	ND		mg/L	0.000005		0.0000020	533	Total/NA
Perfluorododecanoic acid (PFDoA)	ND		mg/L	0.000005		0.0000020	533	Total/NA
Perfluoroheptanoic acid (PFHpA)	ND		mg/L	0.000005		0.0000020	533	Total/NA
Perfluorohexanesulfonic acid (PFHxS)	ND		mg/L	0.000005		0.0000020	533	Total/NA
Perfluorohexanoic acid (PFHxA)	ND		mg/L	0.000005		0.0000020	533	Total/NA
Perfluorononanoic acid (PFNA)	ND		mg/L	0.000005		0.0000020	533	Total/NA
Perfluorooctanesulfonic acid (PFOS)	ND		mg/L	0.000005		0.0000020	533	Total/NA
Perfluorooctanoic acid (PFOA)	ND		mg/L	0.000005		0.0000020	533	Total/NA
Perfluoroundecanoic acid (PFUnA)	ND		mg/L	0.000005		0.0000020	533	Total/NA
Hexafluoropropylene Oxide Dimer Acid (HFPO-DA/GenX)	ND		mg/L	0.000005		0.0000020	EPA 537.1 V2	Total/NA
Perfluorooctanesulfonic acid (PFOS)	ND		mg/L	0.000005		0.0000020	EPA 537.1 V2	Total/NA
Perfluoroundecanoic acid (PFUnA)	ND		mg/L	0.000005		0.0000020	EPA 537.1 V2	Total/NA
N-methylperfluorooctanesulfonamidoacetic acid (NMeFOSAA)	ND		mg/L	0.000005		0.0000020	EPA 537.1 V2	Total/NA
N-ethylperfluorooctanesulfonamidoacetic acid (NEtFOSAA)	ND		mg/L	0.000005		0.0000020	EPA 537.1 V2	Total/NA
Perfluorohexanoic acid (PFHxA)	ND		mg/L	0.000005		0.0000020	EPA 537.1 V2	Total/NA

Eurofins Pomona

Action Limit Summary

Client: BlueTriton Brands
Project/Site: Bergman B2 Spring (Tanker)

Job ID: 380-197588-1

Client Sample ID: Bergman B2 Spring (Tanker) (Continued)

Lab Sample ID: 380-197588-1

Action Limits

Results have been compared against the following action or regulatory limits. Any results or detection limits which exceed the limit are highlighted in bold.

Analyte	Result	Qualifier	Unit	IBWA SOQ Limit	FDA SOQ Limit	RL	Method	Prep Type
Perfluorododecanoic acid (PFDoA)	ND		mg/L	0.000005		0.0000020	EPA 537.1 V2	Total/NA
Perfluorooctanoic acid (PFOA)	ND		mg/L	0.000005		0.0000020	EPA 537.1 V2	Total/NA
Perfluorodecanoic acid (PFDA)	ND		mg/L	0.000005		0.0000020	EPA 537.1 V2	Total/NA
Perfluorohexanesulfonic acid (PFHxS)	ND		mg/L	0.000005		0.0000020	EPA 537.1 V2	Total/NA
Perfluorobutanesulfonic acid (PFBS)	ND		mg/L	0.000005		0.0000020	EPA 537.1 V2	Total/NA
Perfluoroheptanoic acid (PFHpA)	ND		mg/L	0.000005		0.0000020	EPA 537.1 V2	Total/NA
Perfluorononanoic acid (PFNA)	ND		mg/L	0.000005		0.0000020	EPA 537.1 V2	Total/NA
Perfluorotetradecanoic acid (PFTA)	ND		mg/L	0.000005		0.0000020	EPA 537.1 V2	Total/NA
Perfluorotridecanoic acid (PFTrDA)	ND		mg/L	0.000005		0.0000020	EPA 537.1 V2	Total/NA
9-Chlorohexadecafluoro-3-oxanonane-1-sulfonic acid(9Cl-PF3ONS)	ND		mg/L	0.000005		0.0000020	EPA 537.1 V2	Total/NA
11-Chloroeicosafluoro-3-oxaundecane-1-sulfonic acid (11Cl-PF3OUdS)	ND		mg/L	0.000005		0.0000020	EPA 537.1 V2	Total/NA
4,8-Dioxa-3H-perfluorononanoic acid (ADONA)	ND		mg/L	0.000005		0.0000020	EPA 537.1 V2	Total/NA
2,3,7,8-TCDD	ND		mg/L	3E-08	3E-08	0.0000000	1613B 049	Total/NA
Iron	ND		mg/L	0.3	0.3	0.010	200.7	Total/NA
Mercury	ND		mg/L	0.001	0.002	0.00020	200.8	Total/NA
Aluminum	ND		mg/L	0.2	0.2	0.020	200.8	Total/NA
Antimony	ND		mg/L	0.006	0.006	0.0010	200.8	Total/NA
Arsenic	ND		mg/L	0.01	0.01	0.0010	200.8	Total/NA
Barium	0.060		mg/L	1	2	0.0020	200.8	Total/NA
Beryllium	ND		mg/L	0.004	0.004	0.00030	200.8	Total/NA
Cadmium	ND		mg/L	0.005	0.005	0.00050	200.8	Total/NA
Chromium	ND		mg/L	0.05	0.1	0.00090	200.8	Total/NA
Copper	ND		mg/L	1	1	0.0010	200.8	Total/NA
Lead	ND		mg/L	0.005	0.005	0.00050	200.8	Total/NA
Manganese	ND		mg/L	0.05	0.05	0.0020	200.8	Total/NA
Nickel	ND		mg/L	0.1	0.1	0.0050	200.8	Total/NA
Selenium	ND		mg/L	0.01	0.05	0.0020	200.8	Total/NA
Silver	ND		mg/L	0.025	0.1	0.00050	200.8	Total/NA
Thallium	ND		mg/L	0.002	0.002	0.00030	200.8	Total/NA
Uranium	ND		mg/L	0.03	0.03	0.0010	200.8	Total/NA
Uranium	ND		pCi/L	20	20	0.67	200.8	Total/NA
Zinc	ND		mg/L	5	5	0.0050	200.8	Total/NA
Turbidity	0.10		NTU	0.5	5	0.10	180.1	Total/NA
Phenols, Total	ND		mg/L	0.001		0.0010	420.4	Total/NA
Chlorine dioxide	ND	HF	mg/L	0.8	0.8	0.24	4500 ClO2 D	Total/NA
Cyanide	ND		mg/L	0.2	0.2	0.025	4500 CN F	Total/NA
Odor	ND		T.O.N.	3	3	1.0	SM 2150B	Total/NA
Total Dissolved Solids (TDS)	120		mg/L	500	500	20	SM 2540C	Total/NA
Chloramines, Total	ND	HF	mg/L	4	4	0.050	SM 4500 Cl G	Total/NA
Fluoride	ND		mg/L	0.7	4	0.050	SM 4500 F C	Total/NA
pH	7.3	HF	SU	6.5		0.01	SM 4500 H+ B	Total/NA
Gross Alpha	0.600	U	pCi/L	15	15	3.00	7110B	Total/NA

Eurofins Pomona

Action Limit Summary

Client: BlueTriton Brands
Project/Site: Bergman B2 Spring (Tanker)

Job ID: 380-197588-1

Client Sample ID: Bergman B2 Spring (Tanker) (Continued)

Lab Sample ID: 380-197588-1

Action Limits

Results have been compared against the following action or regulatory limits. Any results or detection limits which exceed the limit are highlighted in bold.

Analyte	Result	Qualifier	Unit	IBWA SOQ Limit	FDA SOQ Limit	RL	Method	Prep Type
Gross Beta	3.42		pCi/L	50	50	4.00	7110B	Total/NA
Combined Radium 226 + 228	0.000	U	pCi/L	5	5	1.00	7500 Ra D	Total/NA

Accreditation/Certification and Definitions Summary

Client: BlueTriton Brands
Project/Site: Bergman B2 Spring (Tanker)

Job ID: 380-197588-1

Laboratory: Eurofins Pomona

Unless otherwise noted, all analytes for this laboratory were covered under each accreditation/certification below.

Authority	Program	Identification Number	Expiration Date
A2LA	ISO/IEC 17025	5890.01 & 5890.02	06-30-27
The following analytes are included in this report, but the laboratory is not certified by the governing authority. This list may include analytes for which the agency does not offer certification.			
Analysis Method	Prep Method	Matrix	Analyte
2330B		Drinking Water	Langelier Index at 25C
524.2		Drinking Water	2-Butanone (MEK)
525.2	525.2	Drinking Water	Ametryn
525.2	525.2	Drinking Water	Azinphos-methyl
525.2	525.2	Drinking Water	Chlorobenzilate
525.2	525.2	Drinking Water	Chloroneb
525.2	525.2	Drinking Water	Chlorothalonil (Draconil, Bravo)
525.2	525.2	Drinking Water	Dichlorvos
525.2	525.2	Drinking Water	Endosulfan I (Alpha)
525.2	525.2	Drinking Water	Endosulfan II (Beta)
525.2	525.2	Drinking Water	Endosulfan sulfate
525.2	525.2	Drinking Water	Endrin aldehyde
525.2	525.2	Drinking Water	Ethoprop
525.2	525.2	Drinking Water	Fenarimol
525.2	525.2	Drinking Water	Fluridone
525.2	525.2	Drinking Water	Hexazinone
525.2	525.2	Drinking Water	Isophorone
525.2	525.2	Drinking Water	Malathion
525.2	525.2	Drinking Water	Mevinphos
525.2	525.2	Drinking Water	Norflurazon
525.2	525.2	Drinking Water	Parathion
525.2	525.2	Drinking Water	Prometon
525.2	525.2	Drinking Water	Prometryne
525.2	525.2	Drinking Water	Total Permethrin (mixed isomers)
None		Drinking Water	4-PFAS Hazard Index
SM 2320B		Drinking Water	Bicarbonate Alkalinity as CaCO3
SM 2340B		Drinking Water	Calcium hardness as CaCO3
SM 4500 CO2 D		Drinking Water	Carbon Dioxide, Free
SRL 524M		Drinking Water	1,2,3-Trichloropropane
Arizona	State	AZ0833	02-27-27
The following analytes are included in this report, but the laboratory is not certified by the governing authority. This list may include analytes for which the agency does not offer certification.			
Analysis Method	Prep Method	Matrix	Analyte
200.7		Drinking Water	Boron
200.7		Drinking Water	Potassium
2330B		Drinking Water	Langelier Index at 25C
300.0		Drinking Water	Chlorate
420.4		Drinking Water	Phenols, Total
4500 ClO2 D		Drinking Water	Chlorine dioxide
505	505	Drinking Water	Total PCBs
524.2		Drinking Water	Epichlorohydrin
525.2	525.2	Drinking Water	Acetochlor
525.2	525.2	Drinking Water	Azinphos-methyl
525.2	525.2	Drinking Water	Dimethoate
525.2	525.2	Drinking Water	Malathion

Accreditation/Certification and Definitions Summary

Client: BlueTriton Brands
Project/Site: Bergman B2 Spring (Tanker)

Job ID: 380-197588-1

Laboratory: Eurofins Pomona (Continued)

Unless otherwise noted, all analytes for this laboratory were covered under each accreditation/certification below.

Authority	Program	Identification Number	Expiration Date
The following analytes are included in this report, but the laboratory is not certified by the governing authority. This list may include analytes for which the agency does not offer certification.			
Analysis Method	Prep Method	Matrix	Analyte
525.2	525.2	Drinking Water	Parathion
525.2	525.2	Drinking Water	Pendimethalin
525.2	525.2	Drinking Water	Prometon
525.2	525.2	Drinking Water	Terbutylazine
525.2	525.2	Drinking Water	Total Permethrin (mixed isomers)
In-House Method		Drinking Water	Acrylamide
None		Drinking Water	4-PFAS Hazard Index
SM 2320B		Drinking Water	Bicarbonate Alkalinity as CaCO3
SM 2320B		Drinking Water	Bicarbonate ion as HCO3
SM 2320B		Drinking Water	Carbonate as CO3
SM 4500 CO2 D		Drinking Water	Carbon Dioxide, Free
SRL 524M		Drinking Water	1,2,3-Trichloropropane
California	State	2813	03-04-26
The following analytes are included in this report, but the laboratory is not certified by the governing authority. This list may include analytes for which the agency does not offer certification.			
Analysis Method	Prep Method	Matrix	Analyte
200.8		Drinking Water	Molybdenum
2330B		Drinking Water	Langelier Index at 25C
420.4		Drinking Water	Phenols, Total
504.1	504.1	Drinking Water	1,2,3-Trichloropropane
505	505	Drinking Water	Total PCBs
515.4	515.4	Drinking Water	2,4,5-T
515.4	515.4	Drinking Water	2,4-DB
515.4	515.4	Drinking Water	3,5-Dichlorobenzoic acid
515.4	515.4	Drinking Water	Acifluorfen
515.4	515.4	Drinking Water	DCPA Mon/Di-Acid Degradates
515.4	515.4	Drinking Water	Dichlorprop
524.2		Drinking Water	1,1-Dichloropropene
524.2		Drinking Water	1,3-Dichloropropane
524.2		Drinking Water	2,2-Dichloropropane
524.2		Drinking Water	2-Butanone (MEK)
524.2		Drinking Water	Bromobenzene
524.2		Drinking Water	Bromochloromethane
524.2		Drinking Water	Bromomethane (Methyl Bromide)
524.2		Drinking Water	Chloroethane
524.2		Drinking Water	Chloromethane (methyl chloride)
524.2		Drinking Water	Dibromomethane
524.2		Drinking Water	di-Isopropyl ether
524.2		Drinking Water	Epichlorohydrin
524.2		Drinking Water	Hexachlorobutadiene
524.2		Drinking Water	p-Isopropyltoluene
524.2		Drinking Water	Trihalomethanes, Total
524.2		Drinking Water	Xylenes, Total
525.2	525.2	Drinking Water	2,4-Dinitrotoluene
525.2	525.2	Drinking Water	2,6-Dinitrotoluene
525.2	525.2	Drinking Water	4,4'-DDD

Accreditation/Certification and Definitions Summary

Client: BlueTriton Brands
Project/Site: Bergman B2 Spring (Tanker)

Job ID: 380-197588-1

Laboratory: Eurofins Pomona (Continued)

Unless otherwise noted, all analytes for this laboratory were covered under each accreditation/certification below.

Authority	Program	Identification Number	Expiration Date
The following analytes are included in this report, but the laboratory is not certified by the governing authority. This list may include analytes for which the agency does not offer certification.			
Analysis Method	Prep Method	Matrix	Analyte
525.2	525.2	Drinking Water	4,4'-DDE
525.2	525.2	Drinking Water	4,4'-DDT
525.2	525.2	Drinking Water	Acenaphthene
525.2	525.2	Drinking Water	Acenaphthylene
525.2	525.2	Drinking Water	Acetochlor
525.2	525.2	Drinking Water	alpha-BHC
525.2	525.2	Drinking Water	alpha-Chlordane
525.2	525.2	Drinking Water	Ametryn
525.2	525.2	Drinking Water	Anthracene
525.2	525.2	Drinking Water	Azinphos-methyl
525.2	525.2	Drinking Water	Benz[a]anthracene
525.2	525.2	Drinking Water	Benzo[b]fluoranthene
525.2	525.2	Drinking Water	Benzo[g,h,i]perylene
525.2	525.2	Drinking Water	Benzo[k]fluoranthene
525.2	525.2	Drinking Water	beta-BHC
525.2	525.2	Drinking Water	Bromacil
525.2	525.2	Drinking Water	Butylbenzylphthalate
525.2	525.2	Drinking Water	Chlorobenzilate
525.2	525.2	Drinking Water	Chloroneb
525.2	525.2	Drinking Water	Chlorothalonil (Draconil, Bravo)
525.2	525.2	Drinking Water	Chlorpyrifos
525.2	525.2	Drinking Water	Chrysene
525.2	525.2	Drinking Water	delta-BHC
525.2	525.2	Drinking Water	Diazinon (Qualitative)
525.2	525.2	Drinking Water	Dibenz(a,h)anthracene
525.2	525.2	Drinking Water	Dichlorvos
525.2	525.2	Drinking Water	Diethylphthalate
525.2	525.2	Drinking Water	Dimethoate
525.2	525.2	Drinking Water	Dimethylphthalate
525.2	525.2	Drinking Water	Di-n-butylphthalate
525.2	525.2	Drinking Water	Di-n-octylphthalate
525.2	525.2	Drinking Water	Endosulfan I (Alpha)
525.2	525.2	Drinking Water	Endosulfan II (Beta)
525.2	525.2	Drinking Water	Endosulfan sulfate
525.2	525.2	Drinking Water	Endrin aldehyde
525.2	525.2	Drinking Water	EPTC
525.2	525.2	Drinking Water	Ethoprop
525.2	525.2	Drinking Water	Fenarimol
525.2	525.2	Drinking Water	Fluoranthene
525.2	525.2	Drinking Water	Fluorene
525.2	525.2	Drinking Water	Fluridone
525.2	525.2	Drinking Water	gamma-Chlordane
525.2	525.2	Drinking Water	Hexazinone
525.2	525.2	Drinking Water	Indeno[1,2,3-cd]pyrene
525.2	525.2	Drinking Water	Isophorone
525.2	525.2	Drinking Water	Malathion
525.2	525.2	Drinking Water	Metolachlor

Eurofins Pomona

Accreditation/Certification and Definitions Summary

Client: BlueTriton Brands
Project/Site: Bergman B2 Spring (Tanker)

Job ID: 380-197588-1

Laboratory: Eurofins Pomona (Continued)

Unless otherwise noted, all analytes for this laboratory were covered under each accreditation/certification below.

Authority	Program	Identification Number	Expiration Date
The following analytes are included in this report, but the laboratory is not certified by the governing authority. This list may include analytes for which the agency does not offer certification.			
Analysis Method	Prep Method	Matrix	Analyte
525.2	525.2	Drinking Water	Metribuzin
525.2	525.2	Drinking Water	Mevinphos
525.2	525.2	Drinking Water	Napropamide
525.2	525.2	Drinking Water	Norflurazon
525.2	525.2	Drinking Water	Parathion
525.2	525.2	Drinking Water	Pendimethalin
525.2	525.2	Drinking Water	Phenanthrene
525.2	525.2	Drinking Water	Prometon
525.2	525.2	Drinking Water	Prometryne
525.2	525.2	Drinking Water	Propachlor
525.2	525.2	Drinking Water	Pyrene
525.2	525.2	Drinking Water	Terbacil
525.2	525.2	Drinking Water	Terbutylazine
525.2	525.2	Drinking Water	Total Permethrin (mixed isomers)
525.2	525.2	Drinking Water	trans-Nonachlor
525.2	525.2	Drinking Water	Trifluralin
531.2	Filtration	Drinking Water	Baygon
531.2	Filtration	Drinking Water	Methiocarb
549.2	549.2	Drinking Water	Paraquat
6251B		Drinking Water	Total Haloacetic Acids 5
6251B	6251B	Drinking Water	Bromochloroacetic acid
In-House Method		Drinking Water	Acrylamide
None		Drinking Water	4-PFAS Hazard Index
SM 2120B		Drinking Water	Color, Apparent
SM 2150B		Drinking Water	Odor
SM 2320B		Drinking Water	Bicarbonate Alkalinity as CaCO ₃
SM 2320B		Drinking Water	Bicarbonate ion as HCO ₃
SM 2320B		Drinking Water	Carbonate as CO ₃
SM 2330B		Drinking Water	Corrosivity
SM 2340B		Drinking Water	Calcium hardness as CaCO ₃
SM 4500 Cl G		Drinking Water	Chloramines, Total
SM 4500 CO ₂ D		Drinking Water	Carbon Dioxide, Free
Connecticut	State	PH-0107	03-31-26
The following analytes are included in this report, but the laboratory is not certified by the governing authority. This list may include analytes for which the agency does not offer certification.			
Analysis Method	Prep Method	Matrix	Analyte
2330B		Drinking Water	Langelier Index at 25C
420.4		Drinking Water	Phenols, Total
4500 ClO ₂ D		Drinking Water	Chlorine dioxide
504.1	504.1	Drinking Water	1,2,3-Trichloropropane
505	505	Drinking Water	Total PCBs
515.4	515.4	Drinking Water	3,5-Dichlorobenzoic acid
515.4	515.4	Drinking Water	Bentazon
521.1	521	Drinking Water	N-Nitrosodimethylamine (NDMA)
524.2		Drinking Water	2-Butanone (MEK)
524.2		Drinking Water	Epichlorohydrin

Eurofins Pomona

Accreditation/Certification and Definitions Summary

Client: BlueTriton Brands
Project/Site: Bergman B2 Spring (Tanker)

Job ID: 380-197588-1

Laboratory: Eurofins Pomona (Continued)

Unless otherwise noted, all analytes for this laboratory were covered under each accreditation/certification below.

Authority	Program	Identification Number	Expiration Date
The following analytes are included in this report, but the laboratory is not certified by the governing authority. This list may include analytes for which the agency does not offer certification.			
Analysis Method	Prep Method	Matrix	Analyte
524.2		Drinking Water	m,p-Xylenes
524.2		Drinking Water	o-Xylene
524.2		Drinking Water	Trichlorotrifluoroethane
525.2	525.2	Drinking Water	2,4-Dinitrotoluene
525.2	525.2	Drinking Water	2,6-Dinitrotoluene
525.2	525.2	Drinking Water	4,4'-DDD
525.2	525.2	Drinking Water	4,4'-DDE
525.2	525.2	Drinking Water	4,4'-DDT
525.2	525.2	Drinking Water	Acenaphthene
525.2	525.2	Drinking Water	Acenaphthylene
525.2	525.2	Drinking Water	Acetochlor
525.2	525.2	Drinking Water	Aldrin
525.2	525.2	Drinking Water	alpha-BHC
525.2	525.2	Drinking Water	alpha-Chlordane
525.2	525.2	Drinking Water	Ametryn
525.2	525.2	Drinking Water	Anthracene
525.2	525.2	Drinking Water	Azinphos-methyl
525.2	525.2	Drinking Water	Benz[a]anthracene
525.2	525.2	Drinking Water	Benzo[b]fluoranthene
525.2	525.2	Drinking Water	Benzo[g,h,i]perylene
525.2	525.2	Drinking Water	Benzo[k]fluoranthene
525.2	525.2	Drinking Water	beta-BHC
525.2	525.2	Drinking Water	Bromacil
525.2	525.2	Drinking Water	Butylbenzylphthalate
525.2	525.2	Drinking Water	Chlorobenzilate
525.2	525.2	Drinking Water	Chloroneb
525.2	525.2	Drinking Water	Chlorothalonil (Draconil, Bravo)
525.2	525.2	Drinking Water	Chlorpyrifos
525.2	525.2	Drinking Water	Chrysene
525.2	525.2	Drinking Water	delta-BHC
525.2	525.2	Drinking Water	Diazinon (Qualitative)
525.2	525.2	Drinking Water	Dibenz(a,h)anthracene
525.2	525.2	Drinking Water	Dichlorvos
525.2	525.2	Drinking Water	Diethylphthalate
525.2	525.2	Drinking Water	Dimethoate
525.2	525.2	Drinking Water	Dimethylphthalate
525.2	525.2	Drinking Water	Di-n-butylphthalate
525.2	525.2	Drinking Water	Di-n-octylphthalate
525.2	525.2	Drinking Water	Endosulfan I (Alpha)
525.2	525.2	Drinking Water	Endosulfan II (Beta)
525.2	525.2	Drinking Water	Endosulfan sulfate
525.2	525.2	Drinking Water	Endrin aldehyde
525.2	525.2	Drinking Water	EPTC
525.2	525.2	Drinking Water	Ethoprop
525.2	525.2	Drinking Water	Fenarimol
525.2	525.2	Drinking Water	Fluoranthene
525.2	525.2	Drinking Water	Fluorene

Eurofins Pomona

Accreditation/Certification and Definitions Summary

Client: BlueTriton Brands
Project/Site: Bergman B2 Spring (Tanker)

Job ID: 380-197588-1

Laboratory: Eurofins Pomona (Continued)

Unless otherwise noted, all analytes for this laboratory were covered under each accreditation/certification below.

Authority	Program	Identification Number	Expiration Date
The following analytes are included in this report, but the laboratory is not certified by the governing authority. This list may include analytes for which the agency does not offer certification.			
Analysis Method	Prep Method	Matrix	Analyte
525.2	525.2	Drinking Water	Fluridone
525.2	525.2	Drinking Water	gamma-Chlordane
525.2	525.2	Drinking Water	Hexazinone
525.2	525.2	Drinking Water	Indeno[1,2,3-cd]pyrene
525.2	525.2	Drinking Water	Isophorone
525.2	525.2	Drinking Water	Malathion
525.2	525.2	Drinking Water	Metolachlor
525.2	525.2	Drinking Water	Mevinphos
525.2	525.2	Drinking Water	Molinate
525.2	525.2	Drinking Water	Napropamide
525.2	525.2	Drinking Water	Norflurazon
525.2	525.2	Drinking Water	Parathion
525.2	525.2	Drinking Water	Pendimethalin
525.2	525.2	Drinking Water	Phenanthrene
525.2	525.2	Drinking Water	Prometon
525.2	525.2	Drinking Water	Prometryne
525.2	525.2	Drinking Water	Pyrene
525.2	525.2	Drinking Water	Terbacil
525.2	525.2	Drinking Water	Terbutylazine
525.2	525.2	Drinking Water	Thiobencarb
525.2	525.2	Drinking Water	Total Permethrin (mixed isomers)
525.2	525.2	Drinking Water	trans-Nonachlor
525.2	525.2	Drinking Water	Trifluralin
531.2	Filtration	Drinking Water	3-Hydroxycarbofuran
531.2	Filtration	Drinking Water	Baygon
531.2	Filtration	Drinking Water	Methiocarb
533	533	Drinking Water	11-Chloroeicosafluoro-3-oxaundecane-1-sulfonic acid (11Cl-PF3OUdS)
533	533	Drinking Water	1H,1H,2H,2H-Perfluorodecane sulfonic acid (8:2 FTS)
533	533	Drinking Water	1H,1H,2H,2H-Perfluorohexane sulfonic acid (4:2 FTS)
533	533	Drinking Water	1H,1H,2H,2H-Perfluorooctane sulfonic acid (6:2 FTS)
533	533	Drinking Water	4,8-Dioxa-3H-perfluorononanoic acid (ADONA)
533	533	Drinking Water	9-Chlorohexadecafluoro-3-oxanonane-1-sulfonic acid(9Cl-PF3ONS)
533	533	Drinking Water	Hexafluoropropylene Oxide Dimer Acid (HFPO-DA/GenX)
533	533	Drinking Water	Nonafluoro-3,6-dioxaheptanoic acid (NFDHA)
533	533	Drinking Water	Perfluoro (2-ethoxyethane) sulfonic acid (PFEEA)
533	533	Drinking Water	Perfluoro-3-methoxypropanoic acid (PFMPA)
533	533	Drinking Water	Perfluoro-4-methoxybutanoic acid (PFMBA)
533	533	Drinking Water	Perfluorobutanesulfonic acid (PFBS)

Eurofins Pomona

Accreditation/Certification and Definitions Summary

Client: BlueTriton Brands
Project/Site: Bergman B2 Spring (Tanker)

Job ID: 380-197588-1

Laboratory: Eurofins Pomona (Continued)

Unless otherwise noted, all analytes for this laboratory were covered under each accreditation/certification below.

Authority	Program	Identification Number	Expiration Date
The following analytes are included in this report, but the laboratory is not certified by the governing authority. This list may include analytes for which the agency does not offer certification.			
Analysis Method	Prep Method	Matrix	Analyte
533	533	Drinking Water	Perfluorobutanoic acid (PFBA)
533	533	Drinking Water	Perfluorodecanoic acid (PFDA)
533	533	Drinking Water	Perfluorododecanoic acid (PFDoA)
533	533	Drinking Water	Perfluoroheptanesulfonic acid (PFHpS)
533	533	Drinking Water	Perfluoroheptanoic acid (PFHpA)
533	533	Drinking Water	Perfluorohexanesulfonic acid (PFHxS)
533	533	Drinking Water	Perfluorohexanoic acid (PFHxA)
533	533	Drinking Water	Perfluorononanoic acid (PFNA)
533	533	Drinking Water	Perfluorooctanesulfonic acid (PFOS)
533	533	Drinking Water	Perfluorooctanoic acid (PFOA)
533	533	Drinking Water	Perfluoropentanesulfonic acid (PFPeS)
533	533	Drinking Water	Perfluoropentanoic acid (PFPeA)
533	533	Drinking Water	Perfluoroundecanoic acid (PFUnA)
549.2	549.2	Drinking Water	Paraquat
6251B	6251B	Drinking Water	Bromochloroacetic acid
In-House Method		Drinking Water	Acrylamide
None		Drinking Water	4-PFAS Hazard Index
SM 2320B		Drinking Water	Bicarbonate Alkalinity as CaCO ₃
SM 2320B		Drinking Water	Bicarbonate ion as HCO ₃
SM 2320B		Drinking Water	Carbonate as CO ₃
SM 4500 Cl G		Drinking Water	Chloramines, Total
SM 4500 CO ₂ D		Drinking Water	Carbon Dioxide, Free
SRL 524M		Drinking Water	1,2,3-Trichloropropane
Massachusetts	State	M-CA006	06-30-26
The following analytes are included in this report, but the laboratory is not certified by the governing authority. This list may include analytes for which the agency does not offer certification.			
Analysis Method	Prep Method	Matrix	Analyte
1613B	1613B	Drinking Water	2,3,7,8-TCDD
200.7		Drinking Water	Boron
200.7		Drinking Water	Magnesium
200.7		Drinking Water	Potassium
200.8		Drinking Water	Molybdenum
2330B		Drinking Water	Langelier Index at 25C
300.0		Drinking Water	Chlorate
300.1		Drinking Water	Bromide
420.4		Drinking Water	Phenols, Total
4500 ClO ₂ D		Drinking Water	Chlorine dioxide
504.1	504.1	Drinking Water	1,2,3-Trichloropropane
505	505	Drinking Water	PCB-1016
505	505	Drinking Water	PCB-1221
505	505	Drinking Water	PCB-1232
505	505	Drinking Water	PCB-1242
505	505	Drinking Water	PCB-1248
505	505	Drinking Water	PCB-1254
505	505	Drinking Water	PCB-1260
505	505	Drinking Water	Total PCBs

Eurofins Pomona

Accreditation/Certification and Definitions Summary

Client: BlueTriton Brands
Project/Site: Bergman B2 Spring (Tanker)

Job ID: 380-197588-1

Laboratory: Eurofins Pomona (Continued)

Unless otherwise noted, all analytes for this laboratory were covered under each accreditation/certification below.

Authority	Program	Identification Number	Expiration Date
The following analytes are included in this report, but the laboratory is not certified by the governing authority. This list may include analytes for which the agency does not offer certification.			
Analysis Method	Prep Method	Matrix	Analyte
515.4	515.4	Drinking Water	2,4,5-T
515.4	515.4	Drinking Water	2,4-DB
515.4	515.4	Drinking Water	3,5-Dichlorobenzoic acid
515.4	515.4	Drinking Water	Acifluorfen
515.4	515.4	Drinking Water	Bentazon
515.4	515.4	Drinking Water	DCPA Mon/Di-Acid Degradates
515.4	515.4	Drinking Water	Dicamba
515.4	515.4	Drinking Water	Dichlorprop
521.1	521	Drinking Water	N-Nitrosodimethylamine (NDMA)
524.2		Drinking Water	1,1-Dichloropropene
524.2		Drinking Water	1,3-Dichloropropane
524.2		Drinking Water	2,2-Dichloropropane
524.2		Drinking Water	2-Butanone (MEK)
524.2		Drinking Water	Bromobenzene
524.2		Drinking Water	Bromochloromethane
524.2		Drinking Water	Bromomethane (Methyl Bromide)
524.2		Drinking Water	Chloroethane
524.2		Drinking Water	Chloromethane (methyl chloride)
524.2		Drinking Water	Dibromomethane
524.2		Drinking Water	di-Isopropyl ether
524.2		Drinking Water	Epichlorohydrin
524.2		Drinking Water	Hexachlorobutadiene
524.2		Drinking Water	p-Isopropyltoluene
524.2		Drinking Water	Xylenes, Total
525.2	525.2	Drinking Water	2,4-Dinitrotoluene
525.2	525.2	Drinking Water	2,6-Dinitrotoluene
525.2	525.2	Drinking Water	4,4'-DDD
525.2	525.2	Drinking Water	4,4'-DDE
525.2	525.2	Drinking Water	4,4'-DDT
525.2	525.2	Drinking Water	Acenaphthene
525.2	525.2	Drinking Water	Acenaphthylene
525.2	525.2	Drinking Water	Acetochlor
525.2	525.2	Drinking Water	Aldrin
525.2	525.2	Drinking Water	alpha-BHC
525.2	525.2	Drinking Water	alpha-Chlordane
525.2	525.2	Drinking Water	Ametryn
525.2	525.2	Drinking Water	Anthracene
525.2	525.2	Drinking Water	Azinphos-methyl
525.2	525.2	Drinking Water	Benz[a]anthracene
525.2	525.2	Drinking Water	Benzo[b]fluoranthene
525.2	525.2	Drinking Water	Benzo[g,h,i]perylene
525.2	525.2	Drinking Water	Benzo[k]fluoranthene
525.2	525.2	Drinking Water	beta-BHC
525.2	525.2	Drinking Water	Bromacil
525.2	525.2	Drinking Water	Butachlor
525.2	525.2	Drinking Water	Butylbenzylphthalate
525.2	525.2	Drinking Water	Chlorobenzilate

Eurofins Pomona

Accreditation/Certification and Definitions Summary

Client: BlueTriton Brands
Project/Site: Bergman B2 Spring (Tanker)

Job ID: 380-197588-1

Laboratory: Eurofins Pomona (Continued)

Unless otherwise noted, all analytes for this laboratory were covered under each accreditation/certification below.

Authority	Program	Identification Number	Expiration Date
The following analytes are included in this report, but the laboratory is not certified by the governing authority. This list may include analytes for which the agency does not offer certification.			
Analysis Method	Prep Method	Matrix	Analyte
525.2	525.2	Drinking Water	Chloroneb
525.2	525.2	Drinking Water	Chlorothalonil (Draconil, Bravo)
525.2	525.2	Drinking Water	Chlorpyrifos
525.2	525.2	Drinking Water	Chrysene
525.2	525.2	Drinking Water	delta-BHC
525.2	525.2	Drinking Water	Diazinon (Qualitative)
525.2	525.2	Drinking Water	Dibenz(a,h)anthracene
525.2	525.2	Drinking Water	Dichlorvos
525.2	525.2	Drinking Water	Dieldrin
525.2	525.2	Drinking Water	Diethylphthalate
525.2	525.2	Drinking Water	Dimethoate
525.2	525.2	Drinking Water	Dimethylphthalate
525.2	525.2	Drinking Water	Di-n-butylphthalate
525.2	525.2	Drinking Water	Di-n-octylphthalate
525.2	525.2	Drinking Water	Endosulfan I (Alpha)
525.2	525.2	Drinking Water	Endosulfan II (Beta)
525.2	525.2	Drinking Water	Endosulfan sulfate
525.2	525.2	Drinking Water	Endrin aldehyde
525.2	525.2	Drinking Water	EPTC
525.2	525.2	Drinking Water	Ethoprop
525.2	525.2	Drinking Water	Fenarimol
525.2	525.2	Drinking Water	Fluoranthene
525.2	525.2	Drinking Water	Fluorene
525.2	525.2	Drinking Water	Fluridone
525.2	525.2	Drinking Water	gamma-Chlordane
525.2	525.2	Drinking Water	Hexazinone
525.2	525.2	Drinking Water	Indeno[1,2,3-cd]pyrene
525.2	525.2	Drinking Water	Isophorone
525.2	525.2	Drinking Water	Malathion
525.2	525.2	Drinking Water	Metolachlor
525.2	525.2	Drinking Water	Metribuzin
525.2	525.2	Drinking Water	Mevinphos
525.2	525.2	Drinking Water	Molinate
525.2	525.2	Drinking Water	Napropamide
525.2	525.2	Drinking Water	Norflurazon
525.2	525.2	Drinking Water	Parathion
525.2	525.2	Drinking Water	Pendimethalin
525.2	525.2	Drinking Water	Phenanthrene
525.2	525.2	Drinking Water	Prometon
525.2	525.2	Drinking Water	Prometryne
525.2	525.2	Drinking Water	Propachlor
525.2	525.2	Drinking Water	Pyrene
525.2	525.2	Drinking Water	Terbacil
525.2	525.2	Drinking Water	Terbutylazine
525.2	525.2	Drinking Water	Thiobencarb
525.2	525.2	Drinking Water	Total Permethrin (mixed isomers)
525.2	525.2	Drinking Water	trans-Nonachlor

Eurofins Pomona

Accreditation/Certification and Definitions Summary

Client: BlueTriton Brands
Project/Site: Bergman B2 Spring (Tanker)

Job ID: 380-197588-1

Laboratory: Eurofins Pomona (Continued)

Unless otherwise noted, all analytes for this laboratory were covered under each accreditation/certification below.

Authority	Program	Identification Number	Expiration Date
The following analytes are included in this report, but the laboratory is not certified by the governing authority. This list may include analytes for which the agency does not offer certification.			
Analysis Method	Prep Method	Matrix	Analyte
525.2	525.2	Drinking Water	Trifluralin
531.2	Filtration	Drinking Water	3-Hydroxycarbofuran
531.2	Filtration	Drinking Water	Baygon
531.2	Filtration	Drinking Water	Carbaryl
531.2	Filtration	Drinking Water	Methiocarb
531.2	Filtration	Drinking Water	Methomyl
533	533	Drinking Water	11-Chloroeicosafluoro-3-oxaundecane-1-sulfonic acid (11Cl-PF3OUdS)
533	533	Drinking Water	1H,1H,2H,2H-Perfluorodecane sulfonic acid (8:2 FTS)
533	533	Drinking Water	1H,1H,2H,2H-Perfluorohexane sulfonic acid (4:2 FTS)
533	533	Drinking Water	1H,1H,2H,2H-Perfluorooctane sulfonic acid (6:2 FTS)
533	533	Drinking Water	4,8-Dioxa-3H-perfluorononanoic acid (ADONA)
533	533	Drinking Water	9-Chlorohexadecafluoro-3-oxanonane-1-sulfonic acid(9Cl-PF3ONS)
533	533	Drinking Water	Hexafluoropropylene Oxide Dimer Acid (HFPO-DA/GenX)
533	533	Drinking Water	Nonafluoro-3,6-dioxaheptanoic acid (NFDHA)
533	533	Drinking Water	Perfluoro (2-ethoxyethane) sulfonic acid (PFEESA)
533	533	Drinking Water	Perfluoro-3-methoxypropanoic acid (PFMPA)
533	533	Drinking Water	Perfluoro-4-methoxybutanoic acid (PFMBA)
533	533	Drinking Water	Perfluorobutanesulfonic acid (PFBS)
533	533	Drinking Water	Perfluorobutanoic acid (PFBA)
533	533	Drinking Water	Perfluorodecanoic acid (PFDA)
533	533	Drinking Water	Perfluorododecanoic acid (PFDoA)
533	533	Drinking Water	Perfluoroheptanesulfonic acid (PFHpS)
533	533	Drinking Water	Perfluoroheptanoic acid (PFHpA)
533	533	Drinking Water	Perfluorohexanesulfonic acid (PFHxS)
533	533	Drinking Water	Perfluorohexanoic acid (PFHxA)
533	533	Drinking Water	Perfluorononanoic acid (PFNA)
533	533	Drinking Water	Perfluorooctanesulfonic acid (PFOS)
533	533	Drinking Water	Perfluorooctanoic acid (PFOA)
533	533	Drinking Water	Perfluoropentanesulfonic acid (PFPeS)
533	533	Drinking Water	Perfluoropentanoic acid (PFPeA)
533	533	Drinking Water	Perfluoroundecanoic acid (PFUnA)
549.2	549.2	Drinking Water	Paraquat
6251B		Drinking Water	Total Haloacetic Acids 5
6251B	6251B	Drinking Water	Bromochloroacetic acid
In-House Method		Drinking Water	Acrylamide
None		Drinking Water	4-PFAS Hazard Index
SM 2120B		Drinking Water	Color, Apparent
SM 2150B		Drinking Water	Odor

Eurofins Pomona

Accreditation/Certification and Definitions Summary

Client: BlueTriton Brands
Project/Site: Bergman B2 Spring (Tanker)

Job ID: 380-197588-1

Laboratory: Eurofins Pomona (Continued)

Unless otherwise noted, all analytes for this laboratory were covered under each accreditation/certification below.

Authority	Program	Identification Number	Expiration Date
The following analytes are included in this report, but the laboratory is not certified by the governing authority. This list may include analytes for which the agency does not offer certification.			
Analysis Method	Prep Method	Matrix	Analyte
SM 2320B		Drinking Water	Bicarbonate Alkalinity as CaCO3
SM 2320B		Drinking Water	Bicarbonate ion as HCO3
SM 2320B		Drinking Water	Carbonate as CO3
SM 2330B		Drinking Water	Corrosivity
SM 2340B		Drinking Water	Calcium hardness as CaCO3
SM 2340B		Drinking Water	Total hardness as CaCO3
SM 2510B		Drinking Water	Specific Conductance
SM 4500 Cl G		Drinking Water	Chloramines, Total
SM 4500 CO2 D		Drinking Water	Carbon Dioxide, Free
SM 4500 P E		Drinking Water	Orthophosphate as P
SM 5310C		Drinking Water	N-POC
SM 5540C		Drinking Water	Methylene Blue Active Substances
SM7500_Rn_B	RAD Prep	Drinking Water	Radon 222
SRL 524M		Drinking Water	1,2,3-Trichloropropane
Nevada	State	CA00006	07-31-26
The following analytes are included in this report, but the laboratory is not certified by the governing authority. This list may include analytes for which the agency does not offer certification.			
Analysis Method	Prep Method	Matrix	Analyte
2330B		Drinking Water	Langelier Index at 25C
300.0		Drinking Water	Chlorate
420.4		Drinking Water	Phenols, Total
505	505	Drinking Water	Total PCBs
515.4	515.4	Drinking Water	2,4,5-T
515.4	515.4	Drinking Water	2,4-DB
515.4	515.4	Drinking Water	3,5-Dichlorobenzoic acid
515.4	515.4	Drinking Water	Acifluorfen
515.4	515.4	Drinking Water	Bentazon
515.4	515.4	Drinking Water	DCPA Mon/Di-Acid Degradates
515.4	515.4	Drinking Water	Dichlorprop
521.1	521	Drinking Water	N-Nitrosodimethylamine (NDMA)
524.2		Drinking Water	1,1,1,2-Tetrachloroethane
524.2		Drinking Water	1,1,2,2-Tetrachloroethane
524.2		Drinking Water	1,1-Dichloroethane
524.2		Drinking Water	1,1-Dichloropropene
524.2		Drinking Water	1,2,3-Trichlorobenzene
524.2		Drinking Water	1,2,4-Trimethylbenzene
524.2		Drinking Water	1,3,5-Trimethylbenzene
524.2		Drinking Water	1,3-Dichloropropane
524.2		Drinking Water	2,2-Dichloropropane
524.2		Drinking Water	2-Butanone (MEK)
524.2		Drinking Water	4-Methyl-2-pentanone (MIBK)
524.2		Drinking Water	Bromobenzene
524.2		Drinking Water	Bromochloromethane
524.2		Drinking Water	Bromomethane (Methyl Bromide)
524.2		Drinking Water	Carbon disulfide
524.2		Drinking Water	Chloroethane

Accreditation/Certification and Definitions Summary

Client: BlueTriton Brands
Project/Site: Bergman B2 Spring (Tanker)

Job ID: 380-197588-1

Laboratory: Eurofins Pomona (Continued)

Unless otherwise noted, all analytes for this laboratory were covered under each accreditation/certification below.

Authority	Program	Identification Number	Expiration Date
The following analytes are included in this report, but the laboratory is not certified by the governing authority. This list may include analytes for which the agency does not offer certification.			
Analysis Method	Prep Method	Matrix	Analyte
524.2		Drinking Water	Chloromethane (methyl chloride)
524.2		Drinking Water	cis-1,3-Dichloropropene
524.2		Drinking Water	Dibromomethane
524.2		Drinking Water	Dichlorodifluoromethane
524.2		Drinking Water	di-Isopropyl ether
524.2		Drinking Water	Epichlorohydrin
524.2		Drinking Water	Hexachlorobutadiene
524.2		Drinking Water	Isopropylbenzene
524.2		Drinking Water	m,p-Xylenes
524.2		Drinking Water	m-Dichlorobenzene (1,3-DCB)
524.2		Drinking Water	Methyl-tert-butyl Ether (MTBE)
524.2		Drinking Water	Naphthalene
524.2		Drinking Water	n-Butylbenzene
524.2		Drinking Water	N-Propylbenzene
524.2		Drinking Water	o-Chlorotoluene
524.2		Drinking Water	o-Xylene
524.2		Drinking Water	p-Chlorotoluene
524.2		Drinking Water	p-Isopropyltoluene
524.2		Drinking Water	sec-Butylbenzene
524.2		Drinking Water	Tert-amyl methyl ether
524.2		Drinking Water	Tert-butyl ethyl ether
524.2		Drinking Water	tert-Butylbenzene
524.2		Drinking Water	trans-1,3-Dichloropropene
524.2		Drinking Water	Trichlorofluoromethane (Freon 11)
524.2		Drinking Water	Trichlorotrifluoroethane
525.2	525.2	Drinking Water	2,4-Dinitrotoluene
525.2	525.2	Drinking Water	2,6-Dinitrotoluene
525.2	525.2	Drinking Water	4,4'-DDD
525.2	525.2	Drinking Water	4,4'-DDE
525.2	525.2	Drinking Water	4,4'-DDT
525.2	525.2	Drinking Water	Acenaphthene
525.2	525.2	Drinking Water	Acenaphthylene
525.2	525.2	Drinking Water	Acetochlor
525.2	525.2	Drinking Water	Aldrin
525.2	525.2	Drinking Water	alpha-BHC
525.2	525.2	Drinking Water	alpha-Chlordane
525.2	525.2	Drinking Water	Ametryn
525.2	525.2	Drinking Water	Anthracene
525.2	525.2	Drinking Water	Azinphos-methyl
525.2	525.2	Drinking Water	Benz[a]anthracene
525.2	525.2	Drinking Water	Benzo[b]fluoranthene
525.2	525.2	Drinking Water	Benzo[g,h,i]perylene
525.2	525.2	Drinking Water	Benzo[k]fluoranthene
525.2	525.2	Drinking Water	beta-BHC
525.2	525.2	Drinking Water	Bromacil
525.2	525.2	Drinking Water	Butachlor
525.2	525.2	Drinking Water	Butylbenzylphthalate

Eurofins Pomona

Accreditation/Certification and Definitions Summary

Client: BlueTriton Brands
Project/Site: Bergman B2 Spring (Tanker)

Job ID: 380-197588-1

Laboratory: Eurofins Pomona (Continued)

Unless otherwise noted, all analytes for this laboratory were covered under each accreditation/certification below.

Authority	Program	Identification Number	Expiration Date
The following analytes are included in this report, but the laboratory is not certified by the governing authority. This list may include analytes for which the agency does not offer certification.			
Analysis Method	Prep Method	Matrix	Analyte
525.2	525.2	Drinking Water	Chlorobenzilate
525.2	525.2	Drinking Water	Chloroneb
525.2	525.2	Drinking Water	Chlorothalonil (Draconil, Bravo)
525.2	525.2	Drinking Water	Chlorpyrifos
525.2	525.2	Drinking Water	Chrysene
525.2	525.2	Drinking Water	delta-BHC
525.2	525.2	Drinking Water	Diazinon (Qualitative)
525.2	525.2	Drinking Water	Dibenz(a,h)anthracene
525.2	525.2	Drinking Water	Dichlorvos
525.2	525.2	Drinking Water	Dieldrin
525.2	525.2	Drinking Water	Diethylphthalate
525.2	525.2	Drinking Water	Dimethoate
525.2	525.2	Drinking Water	Dimethylphthalate
525.2	525.2	Drinking Water	Di-n-butylphthalate
525.2	525.2	Drinking Water	Di-n-octylphthalate
525.2	525.2	Drinking Water	Endosulfan I (Alpha)
525.2	525.2	Drinking Water	Endosulfan II (Beta)
525.2	525.2	Drinking Water	Endosulfan sulfate
525.2	525.2	Drinking Water	Endrin aldehyde
525.2	525.2	Drinking Water	EPTC
525.2	525.2	Drinking Water	Ethoprop
525.2	525.2	Drinking Water	Fenarimol
525.2	525.2	Drinking Water	Fluoranthene
525.2	525.2	Drinking Water	Fluorene
525.2	525.2	Drinking Water	Fluridone
525.2	525.2	Drinking Water	gamma-Chlordane
525.2	525.2	Drinking Water	Hexazinone
525.2	525.2	Drinking Water	Indeno[1,2,3-cd]pyrene
525.2	525.2	Drinking Water	Isophorone
525.2	525.2	Drinking Water	Malathion
525.2	525.2	Drinking Water	Metribuzin
525.2	525.2	Drinking Water	Mevinphos
525.2	525.2	Drinking Water	Molinate
525.2	525.2	Drinking Water	Napropamide
525.2	525.2	Drinking Water	Norflurazon
525.2	525.2	Drinking Water	Parathion
525.2	525.2	Drinking Water	Pendimethalin
525.2	525.2	Drinking Water	Phenanthrene
525.2	525.2	Drinking Water	Prometon
525.2	525.2	Drinking Water	Prometryne
525.2	525.2	Drinking Water	Propachlor
525.2	525.2	Drinking Water	Pyrene
525.2	525.2	Drinking Water	Terbacil
525.2	525.2	Drinking Water	Terbutylazine
525.2	525.2	Drinking Water	Thiobencarb
525.2	525.2	Drinking Water	Total Permethrin (mixed isomers)
525.2	525.2	Drinking Water	trans-Nonachlor

Eurofins Pomona

Accreditation/Certification and Definitions Summary

Client: BlueTriton Brands
Project/Site: Bergman B2 Spring (Tanker)

Job ID: 380-197588-1

Laboratory: Eurofins Pomona (Continued)

Unless otherwise noted, all analytes for this laboratory were covered under each accreditation/certification below.

Authority	Program	Identification Number	Expiration Date
The following analytes are included in this report, but the laboratory is not certified by the governing authority. This list may include analytes for which the agency does not offer certification.			
Analysis Method	Prep Method	Matrix	Analyte
525.2	525.2	Drinking Water	Trifluralin
531.2	Filtration	Drinking Water	3-Hydroxycarbofuran
531.2	Filtration	Drinking Water	Aldicarb (Temik)
531.2	Filtration	Drinking Water	Aldicarb sulfone
531.2	Filtration	Drinking Water	Aldicarb sulfoxide
531.2	Filtration	Drinking Water	Baygon
531.2	Filtration	Drinking Water	Carbaryl
531.2	Filtration	Drinking Water	Methiocarb
531.2	Filtration	Drinking Water	Methomyl
549.2	549.2	Drinking Water	Paraquat
In-House Method		Drinking Water	Acrylamide
None		Drinking Water	4-PFAS Hazard Index
SM 2320B		Drinking Water	Bicarbonate Alkalinity as CaCO3
SM 2320B		Drinking Water	Bicarbonate ion as HCO3
SM 2320B		Drinking Water	Carbonate as CO3
SM 4500 Cl G		Drinking Water	Chloramines, Total
SM 4500 CO2 D		Drinking Water	Carbon Dioxide, Free
SM7500_Rn_B	RAD Prep	Drinking Water	Radon 222
SRL 524M		Drinking Water	1,2,3-Trichloropropane
New Jersey	NELAP	CA008	06-30-26
The following analytes are included in this report, but the laboratory is not certified by the governing authority. This list may include analytes for which the agency does not offer certification.			
Analysis Method	Prep Method	Matrix	Analyte
2330B		Drinking Water	Langelier Index at 25C
420.4		Drinking Water	Phenols, Total
505	505	Drinking Water	Total PCBs
521.1	521	Drinking Water	N-Nitrosodimethylamine (NDMA)
524.2		Drinking Water	2-Butanone (MEK)
524.2		Drinking Water	4-Methyl-2-pentanone (MIBK)
524.2		Drinking Water	Epichlorohydrin
524.2		Drinking Water	m,p-Xylenes
524.2		Drinking Water	o-Xylene
524.2		Drinking Water	Trichlorotrifluoroethane
524.2		Drinking Water	Trihalomethanes, Total
525.2	525.2	Drinking Water	Acetochlor
525.2	525.2	Drinking Water	alpha-BHC
525.2	525.2	Drinking Water	alpha-Chlordane
525.2	525.2	Drinking Water	Ametryn
525.2	525.2	Drinking Water	Azinphos-methyl
525.2	525.2	Drinking Water	beta-BHC
525.2	525.2	Drinking Water	Chlorobenzilate
525.2	525.2	Drinking Water	Chloroneb
525.2	525.2	Drinking Water	Chlorothalonil (Draconil, Bravo)
525.2	525.2	Drinking Water	Chlorpyrifos
525.2	525.2	Drinking Water	delta-BHC
525.2	525.2	Drinking Water	Diazinon (Qualitative)

Eurofins Pomona

Accreditation/Certification and Definitions Summary

Client: BlueTriton Brands
Project/Site: Bergman B2 Spring (Tanker)

Job ID: 380-197588-1

Laboratory: Eurofins Pomona (Continued)

Unless otherwise noted, all analytes for this laboratory were covered under each accreditation/certification below.

Authority	Program	Identification Number	Expiration Date
The following analytes are included in this report, but the laboratory is not certified by the governing authority. This list may include analytes for which the agency does not offer certification.			
Analysis Method	Prep Method	Matrix	Analyte
525.2	525.2	Drinking Water	Dichlorvos
525.2	525.2	Drinking Water	Dimethoate
525.2	525.2	Drinking Water	Di-n-octylphthalate
525.2	525.2	Drinking Water	Endosulfan I (Alpha)
525.2	525.2	Drinking Water	Endosulfan II (Beta)
525.2	525.2	Drinking Water	Endosulfan sulfate
525.2	525.2	Drinking Water	Endrin aldehyde
525.2	525.2	Drinking Water	Ethoprop
525.2	525.2	Drinking Water	Fenarimol
525.2	525.2	Drinking Water	Fluoranthene
525.2	525.2	Drinking Water	Fluridone
525.2	525.2	Drinking Water	gamma-Chlordane
525.2	525.2	Drinking Water	Hexazinone
525.2	525.2	Drinking Water	Isophorone
525.2	525.2	Drinking Water	Malathion
525.2	525.2	Drinking Water	Mevinphos
525.2	525.2	Drinking Water	Norflurazon
525.2	525.2	Drinking Water	Parathion
525.2	525.2	Drinking Water	Pendimethalin
525.2	525.2	Drinking Water	Prometon
525.2	525.2	Drinking Water	Prometryne
525.2	525.2	Drinking Water	Terbutylazine
525.2	525.2	Drinking Water	Thiobencarb
525.2	525.2	Drinking Water	Total Permethrin (mixed isomers)
525.2	525.2	Drinking Water	trans-Nonachlor
6251B		Drinking Water	Total Haloacetic Acids 5
In-House Method		Drinking Water	Acrylamide
None		Drinking Water	4-PFAS Hazard Index
SM 2320B		Drinking Water	Bicarbonate Alkalinity as CaCO3
SM 2320B		Drinking Water	Bicarbonate ion as HCO3
SM 2320B		Drinking Water	Carbonate as CO3
SM 2330B		Drinking Water	Corrosivity
SM 4500 Cl G		Drinking Water	Chloramines, Total
SM 4500 CO2 D		Drinking Water	Carbon Dioxide, Free
SRL 524M		Drinking Water	1,2,3-Trichloropropane
New Mexico	State	CA00006	01-31-27
The following analytes are included in this report, but the laboratory is not certified by the governing authority. This list may include analytes for which the agency does not offer certification.			
Analysis Method	Prep Method	Matrix	Analyte
180.1		Drinking Water	Turbidity
200.7		Drinking Water	Boron
200.7		Drinking Water	Calcium
200.8		Drinking Water	Molybdenum
200.8		Drinking Water	Uranium
2330B		Drinking Water	Langelier Index at 25C
300.0		Drinking Water	Chlorate

Accreditation/Certification and Definitions Summary

Client: BlueTriton Brands
Project/Site: Bergman B2 Spring (Tanker)

Job ID: 380-197588-1

Laboratory: Eurofins Pomona (Continued)

Unless otherwise noted, all analytes for this laboratory were covered under each accreditation/certification below.

Authority	Program	Identification Number	Expiration Date
The following analytes are included in this report, but the laboratory is not certified by the governing authority. This list may include analytes for which the agency does not offer certification.			
Analysis Method	Prep Method	Matrix	Analyte
300.0		Drinking Water	Chlorite
331.0		Drinking Water	Perchlorate
420.4		Drinking Water	Phenols, Total
504.1	504.1	Drinking Water	1,2,3-Trichloropropane
505	505	Drinking Water	Total PCBs
515.4	515.4	Drinking Water	2,4,5-T
515.4	515.4	Drinking Water	2,4-DB
515.4	515.4	Drinking Water	3,5-Dichlorobenzoic acid
515.4	515.4	Drinking Water	Acifluorfen
515.4	515.4	Drinking Water	Bentazon
515.4	515.4	Drinking Water	DCPA Mon/Di-Acid Degradates
515.4	515.4	Drinking Water	Dicamba
515.4	515.4	Drinking Water	Dichlorprop
521.1	521	Drinking Water	N-Nitrosodimethylamine (NDMA)
522	522	Drinking Water	1,4-Dioxane
524.2		Drinking Water	1,1,1,2-Tetrachloroethane
524.2		Drinking Water	1,1,2,2-Tetrachloroethane
524.2		Drinking Water	1,1-Dichloroethane
524.2		Drinking Water	1,1-Dichloropropene
524.2		Drinking Water	1,2,3-Trichlorobenzene
524.2		Drinking Water	1,2,4-Trimethylbenzene
524.2		Drinking Water	1,3,5-Trimethylbenzene
524.2		Drinking Water	1,3-Dichloropropane
524.2		Drinking Water	2,2-Dichloropropane
524.2		Drinking Water	2-Butanone (MEK)
524.2		Drinking Water	4-Methyl-2-pentanone (MIBK)
524.2		Drinking Water	Bromobenzene
524.2		Drinking Water	Bromochloromethane
524.2		Drinking Water	Bromomethane (Methyl Bromide)
524.2		Drinking Water	Carbon disulfide
524.2		Drinking Water	Chloroethane
524.2		Drinking Water	Chloromethane (methyl chloride)
524.2		Drinking Water	cis-1,3-Dichloropropene
524.2		Drinking Water	Dibromomethane
524.2		Drinking Water	Dichlorodifluoromethane
524.2		Drinking Water	di-Isopropyl ether
524.2		Drinking Water	Epichlorohydrin
524.2		Drinking Water	Hexachlorobutadiene
524.2		Drinking Water	Isopropylbenzene
524.2		Drinking Water	m,p-Xylenes
524.2		Drinking Water	m-Dichlorobenzene (1,3-DCB)
524.2		Drinking Water	Methyl-tert-butyl Ether (MTBE)
524.2		Drinking Water	Naphthalene
524.2		Drinking Water	n-Butylbenzene
524.2		Drinking Water	N-Propylbenzene
524.2		Drinking Water	o-Chlorotoluene
524.2		Drinking Water	o-Xylene

Accreditation/Certification and Definitions Summary

Client: BlueTriton Brands
Project/Site: Bergman B2 Spring (Tanker)

Job ID: 380-197588-1

Laboratory: Eurofins Pomona (Continued)

Unless otherwise noted, all analytes for this laboratory were covered under each accreditation/certification below.

Authority	Program	Identification Number	Expiration Date
The following analytes are included in this report, but the laboratory is not certified by the governing authority. This list may include analytes for which the agency does not offer certification.			
Analysis Method	Prep Method	Matrix	Analyte
524.2		Drinking Water	p-Chlorotoluene
524.2		Drinking Water	p-Isopropyltoluene
524.2		Drinking Water	sec-Butylbenzene
524.2		Drinking Water	Tert-amyl methyl ether
524.2		Drinking Water	Tert-butyl ethyl ether
524.2		Drinking Water	tert-Butylbenzene
524.2		Drinking Water	trans-1,3-Dichloropropene
524.2		Drinking Water	Trichlorofluoromethane (Freon 11)
524.2		Drinking Water	Trichlorotrifluoroethane
525.2	525.2	Drinking Water	2,4-Dinitrotoluene
525.2	525.2	Drinking Water	2,6-Dinitrotoluene
525.2	525.2	Drinking Water	4,4'-DDD
525.2	525.2	Drinking Water	4,4'-DDE
525.2	525.2	Drinking Water	4,4'-DDT
525.2	525.2	Drinking Water	Acenaphthene
525.2	525.2	Drinking Water	Acenaphthylene
525.2	525.2	Drinking Water	Acetochlor
525.2	525.2	Drinking Water	Aldrin
525.2	525.2	Drinking Water	alpha-BHC
525.2	525.2	Drinking Water	alpha-Chlordane
525.2	525.2	Drinking Water	Ametryn
525.2	525.2	Drinking Water	Anthracene
525.2	525.2	Drinking Water	Azinphos-methyl
525.2	525.2	Drinking Water	Benz[a]anthracene
525.2	525.2	Drinking Water	Benzo[b]fluoranthene
525.2	525.2	Drinking Water	Benzo[g,h,i]perylene
525.2	525.2	Drinking Water	Benzo[k]fluoranthene
525.2	525.2	Drinking Water	beta-BHC
525.2	525.2	Drinking Water	Bromacil
525.2	525.2	Drinking Water	Butachlor
525.2	525.2	Drinking Water	Butylbenzylphthalate
525.2	525.2	Drinking Water	Chlorobenzilate
525.2	525.2	Drinking Water	Chloroneb
525.2	525.2	Drinking Water	Chlorothalonil (Draconil, Bravo)
525.2	525.2	Drinking Water	Chlorpyrifos
525.2	525.2	Drinking Water	Chrysene
525.2	525.2	Drinking Water	delta-BHC
525.2	525.2	Drinking Water	Diazinon (Qualitative)
525.2	525.2	Drinking Water	Dibenz(a,h)anthracene
525.2	525.2	Drinking Water	Dichlorvos
525.2	525.2	Drinking Water	Dieldrin
525.2	525.2	Drinking Water	Diethylphthalate
525.2	525.2	Drinking Water	Dimethoate
525.2	525.2	Drinking Water	Dimethylphthalate
525.2	525.2	Drinking Water	Di-n-butylphthalate
525.2	525.2	Drinking Water	Di-n-octylphthalate
525.2	525.2	Drinking Water	Endosulfan I (Alpha)

Accreditation/Certification and Definitions Summary

Client: BlueTriton Brands
Project/Site: Bergman B2 Spring (Tanker)

Job ID: 380-197588-1

Laboratory: Eurofins Pomona (Continued)

Unless otherwise noted, all analytes for this laboratory were covered under each accreditation/certification below.

Authority	Program	Identification Number	Expiration Date
The following analytes are included in this report, but the laboratory is not certified by the governing authority. This list may include analytes for which the agency does not offer certification.			
Analysis Method	Prep Method	Matrix	Analyte
525.2	525.2	Drinking Water	Endosulfan II (Beta)
525.2	525.2	Drinking Water	Endosulfan sulfate
525.2	525.2	Drinking Water	Endrin aldehyde
525.2	525.2	Drinking Water	EPTC
525.2	525.2	Drinking Water	Ethoprop
525.2	525.2	Drinking Water	Fenarimol
525.2	525.2	Drinking Water	Fluoranthene
525.2	525.2	Drinking Water	Fluorene
525.2	525.2	Drinking Water	Fluridone
525.2	525.2	Drinking Water	gamma-Chlordane
525.2	525.2	Drinking Water	Hexazinone
525.2	525.2	Drinking Water	Indeno[1,2,3-cd]pyrene
525.2	525.2	Drinking Water	Isophorone
525.2	525.2	Drinking Water	Malathion
525.2	525.2	Drinking Water	Metolachlor
525.2	525.2	Drinking Water	Metribuzin
525.2	525.2	Drinking Water	Mevinphos
525.2	525.2	Drinking Water	Molinate
525.2	525.2	Drinking Water	Napropamide
525.2	525.2	Drinking Water	Norflurazon
525.2	525.2	Drinking Water	Parathion
525.2	525.2	Drinking Water	Pendimethalin
525.2	525.2	Drinking Water	Phenanthrene
525.2	525.2	Drinking Water	Prometon
525.2	525.2	Drinking Water	Prometryne
525.2	525.2	Drinking Water	Propachlor
525.2	525.2	Drinking Water	Pyrene
525.2	525.2	Drinking Water	Terbacil
525.2	525.2	Drinking Water	Terbutylazine
525.2	525.2	Drinking Water	Thiobencarb
525.2	525.2	Drinking Water	Total Permethrin (mixed isomers)
525.2	525.2	Drinking Water	trans-Nonachlor
525.2	525.2	Drinking Water	Trifluralin
531.2	Filtration	Drinking Water	3-Hydroxycarbofuran
531.2	Filtration	Drinking Water	Aldicarb (Temik)
531.2	Filtration	Drinking Water	Aldicarb sulfone
531.2	Filtration	Drinking Water	Aldicarb sulfoxide
531.2	Filtration	Drinking Water	Baygon
531.2	Filtration	Drinking Water	Carbaryl
531.2	Filtration	Drinking Water	Methiocarb
531.2	Filtration	Drinking Water	Methomyl
549.2	549.2	Drinking Water	Paraquat
6251B	6251B	Drinking Water	Bromochloroacetic acid
In-House Method		Drinking Water	Acrylamide
None		Drinking Water	4-PFAS Hazard Index
SM 2320B		Drinking Water	Alkalinity as CaCO3
SM 2320B		Drinking Water	Bicarbonate Alkalinity as CaCO3

Eurofins Pomona

Accreditation/Certification and Definitions Summary

Client: BlueTriton Brands
Project/Site: Bergman B2 Spring (Tanker)

Job ID: 380-197588-1

Laboratory: Eurofins Pomona (Continued)

Unless otherwise noted, all analytes for this laboratory were covered under each accreditation/certification below.

Authority	Program	Identification Number	Expiration Date
The following analytes are included in this report, but the laboratory is not certified by the governing authority. This list may include analytes for which the agency does not offer certification.			
Analysis Method	Prep Method	Matrix	Analyte
SM 2320B		Drinking Water	Bicarbonate ion as HCO ₃
SM 2320B		Drinking Water	Carbonate as CO ₃
SM 2330B		Drinking Water	Corrosivity
SM 2340B		Drinking Water	Calcium hardness as CaCO ₃
SM 2510B		Drinking Water	Specific Conductance
SM 4500 Cl G		Drinking Water	Chloramines, Total
SM 4500 CO ₂ D		Drinking Water	Carbon Dioxide, Free
SM 4500 H+ B		Drinking Water	pH
SM 4500 P E		Drinking Water	Orthophosphate as P
SM7500_Rn_B	RAD Prep	Drinking Water	Radon 222
SRL 524M		Drinking Water	1,2,3-Trichloropropane
New York	NELAP	11320	04-01-26
The following analytes are included in this report, but the laboratory is not certified by the governing authority. This list may include analytes for which the agency does not offer certification.			
Analysis Method	Prep Method	Matrix	Analyte
2330B		Drinking Water	Langelier Index at 25C
420.4		Drinking Water	Phenols, Total
4500 ClO ₂ D		Drinking Water	Chlorine dioxide
505	505	Drinking Water	Total PCBs
515.4	515.4	Drinking Water	2,4,5-T
515.4	515.4	Drinking Water	2,4-DB
515.4	515.4	Drinking Water	3,5-Dichlorobenzoic acid
515.4	515.4	Drinking Water	Bentazon
515.4	515.4	Drinking Water	DCPA Mon/Di-Acid Degradates
515.4	515.4	Drinking Water	Dichlorprop
521.1	521	Drinking Water	N-Nitrosodimethylamine (NDMA)
524.2		Drinking Water	2-Butanone (MEK)
524.2		Drinking Water	4-Methyl-2-pentanone (MIBK)
524.2		Drinking Water	Carbon disulfide
524.2		Drinking Water	di-Isopropyl ether
524.2		Drinking Water	Epichlorohydrin
524.2		Drinking Water	m,p-Xylenes
524.2		Drinking Water	o-Xylene
524.2		Drinking Water	Tert-amyl methyl ether
524.2		Drinking Water	Tert-butyl ethyl ether
524.2		Drinking Water	Trichlorotrifluoroethane
525.2	525.2	Drinking Water	2,4-Dinitrotoluene
525.2	525.2	Drinking Water	2,6-Dinitrotoluene
525.2	525.2	Drinking Water	4,4'-DDD
525.2	525.2	Drinking Water	4,4'-DDE
525.2	525.2	Drinking Water	4,4'-DDT
525.2	525.2	Drinking Water	Acenaphthene
525.2	525.2	Drinking Water	Acenaphthylene
525.2	525.2	Drinking Water	Acetochlor
525.2	525.2	Drinking Water	alpha-BHC
525.2	525.2	Drinking Water	alpha-Chlordane

Eurofins Pomona

Accreditation/Certification and Definitions Summary

Client: BlueTriton Brands
Project/Site: Bergman B2 Spring (Tanker)

Job ID: 380-197588-1

Laboratory: Eurofins Pomona (Continued)

Unless otherwise noted, all analytes for this laboratory were covered under each accreditation/certification below.

Authority	Program	Identification Number	Expiration Date
The following analytes are included in this report, but the laboratory is not certified by the governing authority. This list may include analytes for which the agency does not offer certification.			
Analysis Method	Prep Method	Matrix	Analyte
525.2	525.2	Drinking Water	Ametryn
525.2	525.2	Drinking Water	Anthracene
525.2	525.2	Drinking Water	Azinphos-methyl
525.2	525.2	Drinking Water	Benz[a]anthracene
525.2	525.2	Drinking Water	Benzo[b]fluoranthene
525.2	525.2	Drinking Water	Benzo[g,h,i]perylene
525.2	525.2	Drinking Water	Benzo[k]fluoranthene
525.2	525.2	Drinking Water	beta-BHC
525.2	525.2	Drinking Water	Bromacil
525.2	525.2	Drinking Water	Butylbenzylphthalate
525.2	525.2	Drinking Water	Chlorobenzilate
525.2	525.2	Drinking Water	Chloroneb
525.2	525.2	Drinking Water	Chlorothalonil (Draconil, Bravo)
525.2	525.2	Drinking Water	Chlorpyrifos
525.2	525.2	Drinking Water	Chrysene
525.2	525.2	Drinking Water	delta-BHC
525.2	525.2	Drinking Water	Diazinon (Qualitative)
525.2	525.2	Drinking Water	Dibenz(a,h)anthracene
525.2	525.2	Drinking Water	Dichlorvos
525.2	525.2	Drinking Water	Diethylphthalate
525.2	525.2	Drinking Water	Dimethoate
525.2	525.2	Drinking Water	Dimethylphthalate
525.2	525.2	Drinking Water	Di-n-butylphthalate
525.2	525.2	Drinking Water	Di-n-octylphthalate
525.2	525.2	Drinking Water	Endosulfan I (Alpha)
525.2	525.2	Drinking Water	Endosulfan II (Beta)
525.2	525.2	Drinking Water	Endosulfan sulfate
525.2	525.2	Drinking Water	Endrin aldehyde
525.2	525.2	Drinking Water	EPTC
525.2	525.2	Drinking Water	Ethoprop
525.2	525.2	Drinking Water	Fenarimol
525.2	525.2	Drinking Water	Fluoranthene
525.2	525.2	Drinking Water	Fluorene
525.2	525.2	Drinking Water	Fluridone
525.2	525.2	Drinking Water	gamma-Chlordane
525.2	525.2	Drinking Water	Hexazinone
525.2	525.2	Drinking Water	Indeno[1,2,3-cd]pyrene
525.2	525.2	Drinking Water	Isophorone
525.2	525.2	Drinking Water	Malathion
525.2	525.2	Drinking Water	Mevinphos
525.2	525.2	Drinking Water	Molinate
525.2	525.2	Drinking Water	Napropamide
525.2	525.2	Drinking Water	Norflurazon
525.2	525.2	Drinking Water	Parathion
525.2	525.2	Drinking Water	Pendimethalin
525.2	525.2	Drinking Water	Phenanthrene
525.2	525.2	Drinking Water	Prometon

Accreditation/Certification and Definitions Summary

Client: BlueTriton Brands
Project/Site: Bergman B2 Spring (Tanker)

Job ID: 380-197588-1

Laboratory: Eurofins Pomona (Continued)

Unless otherwise noted, all analytes for this laboratory were covered under each accreditation/certification below.

Authority	Program	Identification Number	Expiration Date
The following analytes are included in this report, but the laboratory is not certified by the governing authority. This list may include analytes for which the agency does not offer certification.			
Analysis Method	Prep Method	Matrix	Analyte
525.2	525.2	Drinking Water	Prometryne
525.2	525.2	Drinking Water	Pyrene
525.2	525.2	Drinking Water	Terbacil
525.2	525.2	Drinking Water	Terbutylazine
525.2	525.2	Drinking Water	Thiobencarb
525.2	525.2	Drinking Water	Total Permethrin (mixed isomers)
525.2	525.2	Drinking Water	trans-Nonachlor
531.2	Filtration	Drinking Water	Baygon
531.2	Filtration	Drinking Water	Methiocarb
549.2	549.2	Drinking Water	Paraquat
6251B		Drinking Water	Total Haloacetic Acids 5
In-House Method		Drinking Water	Acrylamide
None		Drinking Water	4-PFAS Hazard Index
SM 2320B		Drinking Water	Bicarbonate Alkalinity as CaCO3
SM 2320B		Drinking Water	Bicarbonate ion as HCO3
SM 2320B		Drinking Water	Carbonate as CO3
SM 2340B		Drinking Water	Total hardness as CaCO3
SM 4500 Cl G		Drinking Water	Chloramines, Total
SM 4500 CO2 D		Drinking Water	Carbon Dioxide, Free
SM 4500 H+ B		Drinking Water	pH
SRL 524M		Drinking Water	1,2,3-Trichloropropane
Pennsylvania	NELAP	68-00565	10-31-26
The following analytes are included in this report, but the laboratory is not certified by the governing authority. This list may include analytes for which the agency does not offer certification.			
Analysis Method	Prep Method	Matrix	Analyte
2330B		Drinking Water	Langelier Index at 25C
420.4		Drinking Water	Phenols, Total
505	505	Drinking Water	Total PCBs
521.1	521	Drinking Water	N-Nitrosodimethylamine (NDMA)
524.2		Drinking Water	2-Butanone (MEK)
524.2		Drinking Water	4-Methyl-2-pentanone (MIBK)
524.2		Drinking Water	Epichlorohydrin
524.2		Drinking Water	m,p-Xylenes
524.2		Drinking Water	o-Xylene
525.2	525.2	Drinking Water	Acetochlor
525.2	525.2	Drinking Water	alpha-BHC
525.2	525.2	Drinking Water	alpha-Chlordane
525.2	525.2	Drinking Water	Ametryn
525.2	525.2	Drinking Water	Azinphos-methyl
525.2	525.2	Drinking Water	beta-BHC
525.2	525.2	Drinking Water	Chlorobenzilate
525.2	525.2	Drinking Water	Chloroneb
525.2	525.2	Drinking Water	Chlorothalonil (Draconil, Bravo)
525.2	525.2	Drinking Water	Chlorpyrifos
525.2	525.2	Drinking Water	delta-BHC
525.2	525.2	Drinking Water	Dichlorvos

Accreditation/Certification and Definitions Summary

Client: BlueTriton Brands
Project/Site: Bergman B2 Spring (Tanker)

Job ID: 380-197588-1

Laboratory: Eurofins Pomona (Continued)

Unless otherwise noted, all analytes for this laboratory were covered under each accreditation/certification below.

Authority	Program	Identification Number	Expiration Date
The following analytes are included in this report, but the laboratory is not certified by the governing authority. This list may include analytes for which the agency does not offer certification.			
Analysis Method	Prep Method	Matrix	Analyte
525.2	525.2	Drinking Water	Dimethoate
525.2	525.2	Drinking Water	Endosulfan I (Alpha)
525.2	525.2	Drinking Water	Endosulfan II (Beta)
525.2	525.2	Drinking Water	Endosulfan sulfate
525.2	525.2	Drinking Water	Endrin aldehyde
525.2	525.2	Drinking Water	Ethoprop
525.2	525.2	Drinking Water	Fenarimol
525.2	525.2	Drinking Water	Fluridone
525.2	525.2	Drinking Water	gamma-Chlordane
525.2	525.2	Drinking Water	Hexazinone
525.2	525.2	Drinking Water	Isophorone
525.2	525.2	Drinking Water	Malathion
525.2	525.2	Drinking Water	Mevinphos
525.2	525.2	Drinking Water	Norflurazon
525.2	525.2	Drinking Water	Parathion
525.2	525.2	Drinking Water	Pendimethalin
525.2	525.2	Drinking Water	Prometon
525.2	525.2	Drinking Water	Prometryne
525.2	525.2	Drinking Water	Terbutylazine
525.2	525.2	Drinking Water	Total Permethrin (mixed isomers)
525.2	525.2	Drinking Water	trans-Nonachlor
In-House Method		Drinking Water	Acrylamide
None		Drinking Water	4-PFAS Hazard Index
SM 2320B		Drinking Water	Bicarbonate Alkalinity as CaCO ₃
SM 2320B		Drinking Water	Bicarbonate ion as HCO ₃
SM 2320B		Drinking Water	Carbonate as CO ₃
SM 2340B		Drinking Water	Calcium hardness as CaCO ₃
SM 2340B		Drinking Water	Total hardness as CaCO ₃
SM 4500 Cl G		Drinking Water	Chloramines, Total
SM 4500 CO ₂ D		Drinking Water	Carbon Dioxide, Free
SRL 524M		Drinking Water	1,2,3-Trichloropropane
Utah	NELAP	CA00006	01-31-27

The following analytes are included in this report, but the laboratory is not certified by the governing authority. This list may include analytes for which the agency does not offer certification.

Analysis Method	Prep Method	Matrix	Analyte
2330B		Drinking Water	Langelier Index at 25C
420.4		Drinking Water	Phenols, Total
505	505	Drinking Water	Total PCBs
524.2		Drinking Water	2-Butanone (MEK)
524.2		Drinking Water	Epichlorohydrin
525.2	525.2	Drinking Water	Acetochlor
525.2	525.2	Drinking Water	alpha-BHC
525.2	525.2	Drinking Water	alpha-Chlordane
525.2	525.2	Drinking Water	Ametryn
525.2	525.2	Drinking Water	Azinphos-methyl
525.2	525.2	Drinking Water	beta-BHC

Accreditation/Certification and Definitions Summary

Client: BlueTriton Brands
Project/Site: Bergman B2 Spring (Tanker)

Job ID: 380-197588-1

Laboratory: Eurofins Pomona (Continued)

Unless otherwise noted, all analytes for this laboratory were covered under each accreditation/certification below.

Authority	Program	Identification Number	Expiration Date
The following analytes are included in this report, but the laboratory is not certified by the governing authority. This list may include analytes for which the agency does not offer certification.			
Analysis Method	Prep Method	Matrix	Analyte
525.2	525.2	Drinking Water	Chlorobenzilate
525.2	525.2	Drinking Water	Chloroneb
525.2	525.2	Drinking Water	Chlorothalonil (Draconil, Bravo)
525.2	525.2	Drinking Water	Chlorpyrifos
525.2	525.2	Drinking Water	delta-BHC
525.2	525.2	Drinking Water	Dichlorvos
525.2	525.2	Drinking Water	Dimethoate
525.2	525.2	Drinking Water	Endosulfan I (Alpha)
525.2	525.2	Drinking Water	Endosulfan II (Beta)
525.2	525.2	Drinking Water	Endosulfan sulfate
525.2	525.2	Drinking Water	Endrin aldehyde
525.2	525.2	Drinking Water	Ethoprop
525.2	525.2	Drinking Water	Fenarimol
525.2	525.2	Drinking Water	Fluridone
525.2	525.2	Drinking Water	gamma-Chlordane
525.2	525.2	Drinking Water	Hexazinone
525.2	525.2	Drinking Water	Isophorone
525.2	525.2	Drinking Water	Malathion
525.2	525.2	Drinking Water	Mevinphos
525.2	525.2	Drinking Water	Norflurazon
525.2	525.2	Drinking Water	Parathion
525.2	525.2	Drinking Water	Pendimethalin
525.2	525.2	Drinking Water	Prometon
525.2	525.2	Drinking Water	Prometryne
525.2	525.2	Drinking Water	Terbutylazine
525.2	525.2	Drinking Water	Total Permethrin (mixed isomers)
525.2	525.2	Drinking Water	trans-Nonachlor
In-House Method		Drinking Water	Acrylamide
None		Drinking Water	4-PFAS Hazard Index
SM 2320B		Drinking Water	Bicarbonate Alkalinity as CaCO ₃
SM 2320B		Drinking Water	Bicarbonate ion as HCO ₃
SM 2320B		Drinking Water	Carbonate as CO ₃
SM 4500 Cl G		Drinking Water	Chloramines, Total
SM 4500 CO ₂ D		Drinking Water	Carbon Dioxide, Free
SRL 524M		Drinking Water	1,2,3-Trichloropropane

Laboratory: Eurofins South Bend

Unless otherwise noted, all analytes for this laboratory were covered under each accreditation/certification below.

Authority	Program	Identification Number	Expiration Date
A2LA	ISO/IEC 17025	5794.01	07-31-26
The following analytes are included in this report, but the laboratory is not certified by the governing authority. This list may include analytes for which the agency does not offer certification.			
Analysis Method	Prep Method	Matrix	Analyte
7500 Ra D		Drinking Water	Combined Radium 226 + 228

Accreditation/Certification and Definitions Summary

Client: BlueTriton Brands
Project/Site: Bergman B2 Spring (Tanker)

Job ID: 380-197588-1

Qualifiers

GC/MS VOA

Qualifier	Qualifier Description
^3+	Reporting Limit Check Standard is outside acceptance limits, high biased

GC/MS Semi VOA

Qualifier	Qualifier Description
*+	LCS and/or LCSD is outside acceptance limits, high biased.
^3+	Reporting Limit Check Standard is outside acceptance limits, high biased

GC Semi VOA

Qualifier	Qualifier Description
^3+	Reporting Limit Check Standard is outside acceptance limits, high biased

HPLC/IC

Qualifier	Qualifier Description
F1	MS and/or MSD recovery exceeds control limits.

General Chemistry

Qualifier	Qualifier Description
HF	Parameter with a holding time of 15 minutes. Test performed by laboratory at client's request. Sample was analyzed outside of hold time.

Rad

Qualifier	Qualifier Description
U	Result is less than the sample detection limit.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
α	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
1C	Result is from the primary column on a dual-column method.
2C	Result is from the confirmation column on a dual-column method.
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
MRL	Method Reporting Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent

Accreditation/Certification and Definitions Summary

Client: BlueTriton Brands
Project/Site: Bergman B2 Spring (Tanker)

Job ID: 380-197588-1

Glossary (Continued)

Abbreviation	These commonly used abbreviations may or may not be present in this report.
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
SDL	Sample Detection Limit
SDL	Sample Detection Limit
SDL	Sample Detection Limit
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

February 27, 2026

Vanessa Berry
Eurofins Drinking Water and Wastewater West (Pomona)
941 Corporate Center Drive
Pomona, CA 91768

CLIENT PROJECT: Bergman B2 Spring (Tanker), 380-197588-1
LAB CODE: 726605-1

Dear Vanessa,

Enclosed are asbestos analysis results for TEM water samples received at our laboratory on 02/19/26. The samples were analyzed for asbestos using transmission electron microscopy (TEM) per the US EPA 100.2 Method.

The current EPA regulatory limit for asbestos in water is 7 million fibers per liter (MFL, > 10 µm in length). The analytical sensitivity for the EPA 100.2 method is 0.2 MFL.

Thank you for your business and we look forward to continuing good relations.

Kind Regards,



Kamila Reichert,
Laboratory Director

ASBESTOS ANALYTICAL REPORT
By: Transmission Electron Microscopy

Prepared for

Eurofins Drinking Water and Wastewater West (Pomona)

CLIENT PROJECT: Bergman B2 Spring (Tanker), 380-197588-1

LAB CODE: 726605-1

TEST METHOD: EPA 100.2

REPORT DATE: 02/27/26

Client: Eurofins Drinking Water and Wastewater West (Pomona)
941 Corporate Center Drive
Pomona, CA 91768

Lab Code: 726605-1
Date Received: 02/19/26
Date Analyzed: 02/27/26
Date Reported: 02/27/26

Project: Bergman B2 Spring (Tanker), 380-197588-1

Method: TEM EPA 100.2 (DRINKING WATER)

Client ID	Date	Date	Sample		Effective	# of Grids	Total Area Of	Analytical				Concentration	Confidence Limit	
Lab ID	Collected	Filtered	Volume	Dilution	Filter Area	Openings	Filter	Sensitivity	Asbestos	>10µm		(MFL)	Lower	Upper
			Filtered (mL)	Factor	(mm²)	Analyzed	Examined	(MFL)	Type					

Bergman B2	02/11/26	02/25/26	100	1	1060	6	0.0594	0.178	None	0	<0.178	0	<0.66
------------	----------	----------	-----	---	------	---	--------	-------	------	---	--------	---	-------

Spring (Tanker)	12:00	13:16							Detected				
-----------------	-------	-------	--	--	--	--	--	--	----------	--	--	--	--

(380-197588-1)

4148186

Sample ozonated prior to analysis due to lab receipt time exceeding 48hr method hold time.

LEGEND: MFL = million fibers per liter, > 10 µm in length

METHOD: EPA 100.2

AVERAGE GRID OPENING SIZE: 0.0099 mm²

ANALYTICAL SENSITIVITY: 0.2 MFL

MAXIMUM CONTAMINANT LEVEL: 7 MFL

Eurofins Built Environment Testing East, LLC makes no warranty representation regarding the accuracy of client submitted information in preparing and presenting analytical results. Interpretation of the analytical results is the sole responsibility of the client. This report relates only to the samples tested or analyzed and may not be reproduced, except in full, without written approval by Eurofins Built Environment Testing East, LLC. Estimated measurement of uncertainty is available on request. Samples were received in acceptable condition unless otherwise noted.

Information provided by customer includes customer sample ID, location, volume and area as well as date and time of sampling.

Sample bottle was not provided by Eurofins Built Environment Testing East, LLC.

For the current states of certification please refer to the website: www.eurofinsus.com/environment-testing/built-environment/locations/eurofins-cei/



Partima Poudel Acharya
Analyst



DATA QA:

Kamila Reichert
2/27/2026



APPROVED BY:

Kamila Reichert,
Laboratory Director

SUBMITTED BY	INVOICE TO	CONTACT INFORMATION	SERIES
Company: Eurofins Drinking Water and Wastewater West (...)	Company: Eurofins Drinking Water and Wastewater West (...)	Contact: Vanessa Berry	-1 TEM Standard
Address: 941 Corporate Center Drive	Address: 941 Corporate Center Drive	Phone: (503) 310-1180	
Pomona, CA 91768	Pomona, CA 91768	Fax:	
		Cell:	
Project Number and/or P.O. #: None Given	Project Zip Code:	Final Data Deliverable Email Address:	
Project Description/Location: Bergman B2 Spring (Tanker), 380-197588-1		Vanessa.Berry@et.eurofinsus.com (+ 2 ADDNL. CONTACTS)	

ASBESTOS LABORATORY					REQUESTED ANALYSIS							VALID MATRIX CODES				LAB NOTES	
PLM / PCM / TEM / NYS DTL RUSH PRIORITY STANDARD					PLM TEM - EPA 100.2 PCM NYS DUST METALS ORGANICS VIABLES MEDICAL MOLD							Air = A		Bulk = B		1.6C	
												Dust = D		Food = F			
CHEMISTRY LABORATORY												Paint = P		Soil = S			
Dust RUSH PRIORITY STANDARD												Surface = SU		Swab = SW			
Metals RUSH PRIORITY STANDARD												Tape = T		Wipe = W			
												Drinking Water = DW					
												Waste Water = WW					
Organics* SAME DAY RUSH PRIORITY STANDARD												**ASTM E1792 approved wipe media only**					
MICROBIOLOGY LABORATORY												Sample Volume (L/Y Area Sample Temperature (°C) Length(or Aliquots) x Width(or Area/Aliquot) Matrix Code # of Containers Date Collected mm/dd/yy Time Collected hh:mm					
Viable Analysis** PRIORITY STANDARD																	
Medical Device Analysis RUSH STANDARD																	
Mold Analysis RUSH PRIORITY STANDARD																	
Turnaround times establish a laboratory priority, subject to laboratory volume and are not guaranteed. Additional fees apply for afterhours, weekends and holidays.																	
Special Instructions: W12125																	
Client Sample ID Number (Sample ID's must be unique)																	
1 Beraman B2 Spring (Tanker) (380-197588-1)																	

Eurofins Built Environment Testing East, LLC establishes a unique Lab Sample ID, for each sample, by preceding each unique Client Sample ID with the laboratory RES Job Number.

Eurofins Built Environment Testing East, LLC will analyze incoming samples based on information received and will not be responsible for errors or omissions in calculations resulting from the inaccuracy of original data. By signing, client/company representative agrees that submission of the following samples for requested analysis as indicated on this Chain of Custody shall constitute an analytical services agreement with payment terms of INTERCO. Failure to comply with payment terms may result in a 18% APR finance charge.

Relinquished By:	Date/Time: 02/19/2026 9:42:57	Sample Condition: Acceptable
Received By: 	Alyssa Thompson Date/Time: 02/19/2026 10:56:46	Carrier: Fed-Ex

Chain of Custody Record

• eurofins

Client Information			Lab PM		Carrier Tracking No(s)		COC No					
Client Contact: Tam Pham			Berry Vanessa		380-104219-31715 1		Page 1 of 4					
Company: Blue Triton Brands			E-Mail: Vanessa Berry@et.eurofinsus.com		State of Origin: CA		Job #:					
Address: 5772 Jurupa St City: Ontario State Zip: CA, 91761 Phone: 231-408-8809(Tel)			Due Date Requested		Analysis Requested							
TAT Requested (days)			Compliance Project: ☐ Yes ☐ No		Total Number of containers							
PO #			Purchase Order Requested		Preservation Codes							
WO #			Project #: 38004147		L EthyleneDiamine R Na2HPO4 Q Na2SO3 N - None PM Na2SO3/NaHSO4 PH FeNH4SO4/H2SO4 S H2SO4							
Site: 2026 Source Annual - West Coast			SSOW#:		Other							
Sample Identification			Sample Date		Sample Time		Sample Type (C=Comp, G=grab)		Matrix (W=water, S=solid, O=organic, B=biological, E=effluent, A=air, D=drinking water)		Special Instructions/Note	
Bergman B2 Spring (Tanker)			2/11/26		12PM		G		Drinking Water		PZ1L-CQB2B1-019296	
380-197588 COC												
Possible Hazard Identification ☐ Non-Hazard ☐ Flammable ☐ Skin Irritant ☐ Poison B ☐ Unknown ☐ Radiological			Date		Time		Method of Shipment: Client		Received by: 1/6/26		Date/Time: 2/11/26 634	
Deliverable Requested 1 II III IV Other (specify)			Date/Time: 2/11/26 433PM		Company: KCMO		Received by: 1/6/26		Date/Time: 2/11/26		Company: KCMO	
Empty Kit Relinquished by:			Date/Time: 2/11/26 433PM		Company: KCMO		Received by: 1/6/26		Date/Time: 2/11/26		Company: KCMO	
Custody Seals Intact: ☐ Yes ☐ No			Custody Seal No		Cooler Temperature(s) °C and Other Remarks: 75.1°F @ 2.0/12.0/29.5/4.5/6.6/0.5/0.9/0.1 F/0.2/0.4							

Ver: 05/06/2024

Chain of Custody Record

Client Information		Lab PM Berry Vanessa		Carrier Tracking No(s)		COC No: 380-104219-31715 3					
Client Contact: Tam Pham		E-Mail Vanessa Berry@eurofins.com		State of Origin CA		Page Page 3 of 4					
Company BlueTriton Brands		PWSID		Analysis Requested		Job #:					
Address: 5772 Jurupa St City Ontario State Zip: CA, 91761 Phone: 231-408-8809(Tel) Email Tam Pham@bluetriton.com Project Name: Source water Site:		Due Date Requested: TAT Requested (days) Compliance Project: ☐ Yes ☒ No PO # Purchase Order Requested WO #: Project #: 38004147 SSOW#:		Field Filtered Sample (Yes or No) Perform MS/MSD (Yes or No) 331.0_PREC Perchlorate 2540C_Calcd, 5540C 5M6251B HAA6 533 - 533 PFAS 624.2_Pres_PREC, CA_SRL_524M_SIM 625.2_Nest, 625.2_PREC 4500_CN_F Total Cyanide SUBCONTRACT - 100.2 Asbestos in DW 4500_CL_G, 4500_CL2_D, LCMS_Acrylamide 300_OF_28D_PREC, 300_OF_48H_PREC 4500_P_E_Ortho - Orthophosphorus SM7110B - Gross Alpha and Beta SM7500_Ra_D_SUM - Radium 226 and 228 - Combined Total Number of containers		Preservation Codes N None G NH4 Chloride I NH4 Acetate HA AscbAcid&HCL QA Na2SO3/HCl HB AscbAcid&NaOH D - HNO3 Other					
Sample Identification		Sample Date		Sample Time		Sample Type (C=Comp, G=grab)		Matrix (W=water, S=solid, O=organic, B=biological, E=effluent, A=air, D=DW=drinking water)		Special Instructions/Note	
Bergman B2 Spring (Tanker)		2/12/26		12PM		G		Drinking Water			
Possible Hazard Identification ☐ Non-Hazard ☐ Flammable ☐ Skin Irritant ☐ Poison B ☐ Unknown ☐ Radiological		Empty Kit Relinquished by		Date		Time		Method of Shipment		Special Instructions/QC Requirements	
Relinquished by		Date/Time		Date/Time		Date/Time		Date/Time		Company	
Relinquished by		Date/Time		Date/Time		Date/Time		Date/Time		Company	
Relinquished by		Date/Time		Date/Time		Date/Time		Date/Time		Company	
Custody Seals Intact: ☐ Yes ☒ No		Custody Seal No		Cooler Temperature(s) °C and Other Remarks: 75.14 @ 12:00 / 12:00 @ 9.51 9.51 3-50/6.0 9.51 9.51		Company		Date/Time		Company	

Client Information		Client Contact: Tam Pham		Company: Blue Triton Brands		Address: 5772 Jurupa St City: Ontario State: Zip: CA, 91761 Phone: 231-408-8809(Tel) Email: Tam Pham@bluetriton.com Project Name: Source water Site:		Due Date Requested TAT Requested (days) Compliance Project: ☐ Yes ☒ No Purchase Order Requested PO #: WO #: Project #: 38004147 SSOW#:		Sampler: Heater Van Bastel Phone: 114-886-7104 E-Mail: Vanessa Berry@et.eurofinsus.com Lab PM: Berry Vanessa Carrier Tracking No(s): 380-104219-31715 4 Page: Page 4 of 4 Job #:		COC No 380-104219-31715 4 Page: Page 4 of 4 Job #:													
Analysis Requested										Preservation Codes D - HNO3 Other:															
Sample Identification										Total Number of containers															
Bergman B2 Spring (Tanker)										Special Instructions/Note															
Sample Date: 2/12/26 Sample Time: 12pm Sample Type: (C=comp, G=grab) G=grab Matrix: (W=water, S=solid, O=wastefoil, BT=tissue, AA=air, DW=drinking water) Preservation Code: Drinking Water										Field Filtered Sample (Yes or No) ☒				Form MS/MSD (Yes or No) ☒				SM7500_Ra_B, SM7500_Ra_D ☒							
Possible Hazard Identification ☐ Non-Hazard ☐ Flammable ☒ Skin Irritant ☐ Poison B ☐ Unknown ☐ Radiological Deliverable Requested I II III IV Other (specify)										Sample Disposal (A fee may be assessed if samples are retained longer than 1 month) ☐ Return To Client ☐ Disposal By Lab ☐ Archive For _____ Months				Special Instructions/QC Requirements											
Empty Kit Relinquished by:										Time.				Method of Shipment: <i>Client</i>											
Relinquished by:										Date/Time: 2/11/26 4:33pm				Received by: <i>brk</i>				Date/Time: 2/11/26 1634				Company: EPR			
Relinquished by:										Date/Time:				Received by:				Date/Time:				Company:			
Relinquished by:										Date/Time:				Received by:				Date/Time:				Company:			
Custody Seals Intact: ☐ Yes ☒ No										Custody Seal No 7514 0128/120/045/45/13/60/6.0 901 EPR 26															

Chain of Custody Record



Client Information (Sub Contract Lab)		Sampler: N/A	Lab Pkt: Berry, Vanessa	Carrier Tracking No(s): 380-304200.1
Client Contact Shipping/Receiving		Phone: N/A	E-Mail: Vanessa.Berry@eurofins.com	State of Origin: California
Company: Eurofins Drinking Water and Wastewater C		Job #: 380-197588-1		
Address: 110 S Hill Street,		Preservation Codes:		
City: South Bend	State, Zip: IN, 46617	Due Date Requested: 3/16/2026		
Phone: 574-233-4777(Tel) 574-233-8207(Fax)	PO #: N/A	TAT Requested (days): N/A		
Email: N/A	WO #: N/A	Matrix (W=Water, S=Solid, O=Water/Oil, BT=Tissue, AA=All)		
Project Name: Bergman B2 Spring (Tanker)	Project #: 38004147	Sample Type (C=Comp, G=Grab) G		
Site: N/A	SSOW#: N/A	Sample Time 12:00 Pacific		
Sample Identification - Client ID (Lab ID)		Sample Date 2/11/26	Sample Time 12:00 Pacific	Sample Matrix G
Bergman B2 Spring (Tanker) (380-197588-1) <i>plu</i>		Special Instructions/Note:		
		SM7108/Ra_D_PrepGross Alpha and Beta X		
		SM7500_Ra_B/Ra_D_PrepRadium 226 X		
		SM7500_Ra_D/Ra_D_PrepRadium 228 X		
		SM7500_Ra_D_SUMRadium 226 and 228 - Combined X		
		Field Filtered Sample (Yes or No) X		
		Perform MS/MSD (Yes or No) X		
		Total Number of Containers 3		
		Other: N/A		

Note: Since laboratory accreditations are subject to change, Eurofins Drinking Water and Wastewater West, LLC places the ownership of method, analyte & accreditation compliance upon our subcontract laboratories. This sample shipment is forwarded under chain-of-custody. If the laboratory does not currently maintain accreditation in the State of Origin listed above for analysis/test/matrix being analyzed, the samples must be shipped back to the Eurofins Drinking Water and Wastewater West, LLC laboratory or other instructions will be provided. Any changes to accreditation status should be brought to Eurofins Drinking Water and Wastewater West, LLC attention immediately. If all requested accreditations are current to date, return the signed Chain of Custody attesting to said compliance to Eurofins Drinking Water and Wastewater West, LLC.

Possible Hazard Identification

Unconfirmed Deliverable Requested: I, II, III, IV, Other (specify) Primary Deliverable Rank: 1

Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)

☐ Return To Client ☐ Disposal By Lab ☐ Archive For Months

Special Instructions/QC Requirements:

Empty Kit Relinquished by: *Gutierrez* Date: *2/13/26 9:15*

Relinquished by: *Gutierrez* Date/Time: *2/13/26 9:15* Company: *ESB*

Relinquished by: Date/Time: Company:

Relinquished by: Date/Time: Company:

Custody Seals Intact: ☐ Yes ☐ No Cooler Temperature(s) °C and Other Remarks: